# ROBUST ALL-ROUNDERS

LISTA drawer cabinets provide a robust and well protected storage option for equipment and many other items. High-quality specifications and a variety of individual configuration options make these robust all-rounders ideal for a wide variety of requirements and environments. Their special design guarantees optimum space utilisation. In addition, housing and drawers can be variably partitioned, intelligently labelled, protected with access control and finished in almost any colour. Nowhere else will you find this degree of flexibility.







### **Utmost stability**

load capacity of housing up to 4 t; load capacity of drawers 75 or 200 kg



### Can be utilised to the full

since drawers can be fully extended and the drawer shell heights are optimised



### Well protected

against dirt, liquids and mechanical load through closed housing with impact and abrasion-resistant surface



### **Outstanding safety features**

safety catch to prevent unwanted drawer opening and anti-tilt mechanism to prevent opening of more than one drawer at a time



### **Corrosion protection**

with electrophoretic dip painting and environmentallyfriendly powder coating



### **Optimum order and organisation**

thanks to special LISTA partition material for every purpose and perforated, slotted drawers



### **Professional labelling**

with LISTA Script labelling software and clip-on label holders which fold upwards

### – Pe

Perfectly smooth running

through differential pull-out without a crossbar

### Flexibly adaptable

through pre-perforated holes for table tops (punchouts), rollers, drawers, locking systems for easy retrofitting and refitting

### Secure locking option

with interchangeable cylinder for adaptation to existing locking systems and electronic locking systems via CODE, RFID or AUTO Lock


Fully compatible with LISTA partition material thanks to the standardised unit of measure see p. 248



## **Drawer cabinets**



## 🛨 Maximum use of drawer space



### **Optimum shell height**

- drawer sides and rear panels the same height as the fronts
- maximum use of vertical space
   optimum protection against items falling out and loss of stored items



**Full extension** 

- maximum use of horizontal space
- everything in view
- optimum access

## 🛨 Perfectly smooth running



### **Pull-out without crossbar**

- perfectly smooth running and ease of movement through differential pull-out without a crossbar
- enables the drawer to be fully extended



Quiet locking tab

special plastic cover in the locking tab
smooth and quiet locking process

🛨 Professional labelling

## Label holder which folds upwards

- on drawers, troughs, metal dividers, separators and housing
- for easy, clean and protected labelling



### LISTA Script

The LISTA Script labelling software offers: numerous labelling options

- pictograms
- barcode generator

As a LISTA customer, you can download our LISTA Script labelling software free of charge from our website under Products > Accessories > LISTA Script.



Partition material for every purpose

### The LISTA standard

Our drawer partition materials are standardised and therefore compatible with the entire LISTA range.


Drawer partition material see p. 248

40


## Benefits of LISTA storage systems

### Storage in drawers

Storing small parts in drawers rather than on shelves ensures that stored items are protected from dust and contamination while saving space and optimising organisation. The entire contents of the drawer are visible in no time, whereas with a shelf, items may have to be moved or reached over to gain access.



## Optimum order and organisation



Plastic boxes and troughs for small and cylindrical items



Tool holders for NC storage



Metal separators for different sized parts



**PE foam inserts** for special and measuring tools




Perforated, slotted drawers hold items firmly in place

- a series of slots around the drawer walls hold the partitioning material firmly in place
- perforated drawer bases enable slotted dividers, metal separators, dividers, holding pins or milling cutter holders to be optionally screwed in place

		Depth	27 E					Depth 36 E			
LISTA Units	18×27 E	27×27 E	36×27 E	54×27 E	18×36 E	27×36 E	36×36 E	45×36 E	54×36 E	64×36 E	78×36 E
Cabinet floor area mm	411×572	564×572	717×572	1023×572	411×725	564×725	717×725	870×725	1023×725	1193×725	1431×725
Drawer useful space mm	306×459	459×459	612×459	918×459	306×612	459×612	612×612	765×612	918×612	1088×612	1326×612

## Flexibly adaptable



### Variable raised edges

- raised edges on three sides of stationary cabinets for simple and easy cleaning
- raised edges on four sides of mobile cabinets to protect the goods being transported



### Punch out

- housing covers with pre-perforated holes which can be punched out
- for retrofitting with a table top or second drawer cabinet on top



### Base/forklift base

- optional base and forklift base (for drawer cabinets with a width of 36 E and over)
- makes it easy to adjust the height of the drawer cabinet
- enables the loaded cabinet to be lifted and moved with a forklift truck




### **Mobile cabinets**

Our mobile cabinets are supplied with: • raised edges on all four sides and push-bar

- black ribbed mat
- two swivel castors with brakestwo fixed castors and single-drawer
- locking mechanism

Stationary cabinets can be converted to mobile cabinets at any time.






## Individual configuration options

As standard, LISTA drawer cabinets are available in seven different widths, two depths and a variety of heights. The configuration options in terms of size, equipment, locking system, colour and drawer partitions are almost unlimited.

### **Typical configurations**







Configuration as a mobile drawer cabinet with raised edges and a push-bar



Configuration as a drawer cabinet with recessed hinged door, pull-out shelves and adjustable shelves



Toolbox: Drawer cabinet with combined drawer widths (64/36/18 E). Version: stationary or mobile



Our drawer cabinets can be combined individually to suit any working environment in order to

make maximum use of available space. They can be extended at any time and therefore offer

a scaleable solution tailored to your needs.

Configuration as a drawer cabinet with drawers, recessed hinged door, pull-out shelves and adjustable shelves



ESD version available on request

## Outstanding safety features



### Single drawer opening as standard

- prevents the cabinet from tipping over by blocking all other drawers when one drawer is pulled out
- allows for drawers to be moved around into a different arrangement at any time



Flush drawer front drawer handles with side covers which

sit snugly within the front profile look good and are safe



### Safety catches

- comply with all regulations against drawers accidentally falling out of cabinets
- reduce the risk of injuries at the workplace
- can easily be deactivated in order to move individual drawers



- Information on load capacity • the load capacity (75 or 200 kg)
- is inscribed on the drawer runners
- increased safety

Extra safety for stationary and mobile cabinets



Safety catch on right

- our standard safety catch for all mobile cabinets
- can be operated with one hand



Single safety catch on the right and left

- especially suitable for mobile equipment
- both hands are needed to operate them



**Double safety catch** 

- has all the same features as the single safety catch on the left and the right
- easier to use since it can be operated with one hand



### Lilo locking device

- with external lever for fixing the fully laden drawer in either open or closed position
- for a drawer load capacity of 200 kg

## Countless configuration options



Covers

Raised edges on three sides and ribbed mat, Resin-coated cover panel, Multiplex cover panel, Raised edges on 4 sides, with push-bar (for mobile cabinets)



**Inserts and add-ons** Drawers, pull-out and adjustable shelves, hinged doors

### **Partition material**

Slotted dividers, separators, trough walls, metal separators, label holders, plastic boxes and trough separators, milling cutter holders and holding pins, non-slip mats, foam inserts and much more.



Locking systems KEY Lock, CODE Lock, RFID Lock or AUTO Lock


**Substructures** Housing base, 2-way pallet/ forklift truck base, Pairs of castor holders, individual castors and levelling feet

## Order preconfigured models



0

## ... or configure and order cabinets individually





## 12 standard colours

### Maximum flexibility thanks to free choice of colours

All products with a choice of colours are available in 12 standard colours and 6 colour combinations without surcharge. The three-digit colour code (e.g. .010) forms part of the article number. When ordering, please complete the article number by adding the desired three-digit colour code (e.g. 70.701.010). Housings and drawers can also be ordered in different colours.





Housing: Metallic grey, NCS 6502-B Fronts: Light grey, RAL 7035 (excluding partition material)

Ruby red, RAL 3003 (excluding partition material)

### **Mobile cabinets**

All mobile drawer cabinets on these two pages are equipped with:

1 raised edge on 4 sides and ribbed mat,

1 push-bar,

1 pair castor holders with nylon castors  $\emptyset$  100 mm, Drawer safety catch on right, Load capacity 400 kg

18 x 27 F	

W → 411 mm D 7 572 mm	W->	411 mm	D 7	572 mm
-----------------------	-----	--------	-----	--------

H **Number** of drawers mm

**2**: 1 × 50 / 1 × 150

283



N				
ì	•	-		
	_			
Ľ	-	-		
	-	-	-	=1





283	<b>2</b> : 2 × 100	75	KEY Lock	78.402.XXX
283	<b>3</b> : 1 × 50 / 2 × 75	75	KEY Lock	78.404.XXX
383	<b>3</b> : 1 × 50 / 1 × 100 / 1 × 150	75	KEY Lock	78.406.XXX
383	<b>3</b> : 2×75 / 1×150	75	KEY Lock	78.408.XXX
383	<b>4</b> : 1 × 50 / 2 × 75 / 1 × 100	75	KEY Lock	78.410.XXX
533	<b>4</b> : 1 × 50 / 1 × 100 / 2 × 150	75	KEY Lock	78.414.XXX
700	<b>3</b> : 1 × 100 / 1 × 200 / 1 × 300	75	KEY Lock	78.418.XXX
700	<b>5</b> : 2 × 75 / 3 × 150	75	KEY Lock	78.420.XXX
		75	KEY Lock	78.423.XXX
723	<b>4</b> : 1 × 50 / 1 × 100 / 2 × 150	15	ILET EUCH	
723 723	<b>4</b> : 1 × 50 / 1 × 100 / 2 × 150 <b>5</b> : 2 × 50 / 2 × 100 / 1 × 150	75	KEY Lock	78.425.XXX
				78.425.XXX

kg

75

8

KEY Lock

Art. no. 🛛 🎇

78.400.XXX



When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix **"C"** or for **RFID** or **AUTO Lock** the suffix **"F"** or **"A"** to the article number from the table (e.g. **78.467.XXX.C**).

Other locking systems see p. 28–31



## 

			.1				
			Concerning of the local division of the loca	m			-
		No. of Street, or other street, Street					
		The state		1			
	Í						
	i		6				
			1	21			and the second second
K-11			1	3		CTTTTTT	
19	9						
27×27 E	W	<b>564 mm D 7</b> 572	mm			1	
			_		_		and the second se
459×459 mm	H		kg		Art. no. 🌑		S Art. no. <b>14.252.010</b> Light blue, RAL 5012
	283 283	<b>2</b> : 1 × 50/1 × 150 <b>2</b> : 2 × 100	75 75		78.461.XXX 78.463.XXX		(excluding partition material)
	283	<b>3</b> : 2 × 50 / 1 × 100	75		78.465.XXX		
***							
	383	<b>2</b> : 1 × 100 / 1 × 200	75	KEY Lock	78.467.XXX		
	383	<b>3</b> : 1 × 50 / 1 × 100 / 1 × 150	75		78.469.XXX	- 1	
	383	<b>4</b> : 1 × 50 / 2 × 75 / 1 × 100	75		78.471.XXX	_	
	700	<b>6</b> : 1 × 50 / 2 × 75 / 2 × 100 / 1 × 200	75	KEY Lock	78.486.XXX		
						_	Sauto Sunta
	800	<b>4</b> : 2 × 100 / 1 × 200 / 1 × 300	75	KEV Lock	78.289.XXX		and the second s
	800	<b>5</b> : 1 × 50 / 2 × 100 / 1 × 150 / 1 × 300			78.882.XXX	_	
		<u></u>		RET LOCK	101002.000		
	050	<b>4.</b> 1100 / 11E0 / 1200 / 120	0 75	KEV Lask	70 200 VVV		
	850 850	<b>4</b> : 1 × 100 / 1 × 150 / 1 × 200 / 1 × 300 <b>5</b> : 1 × 100 / 3 × 150 / 1 × 200	75		79.380.XXX 14.256.XXX	S	The second se
	850	<b>6</b> : 2 × 75 / 2 × 100 / 2 × 200	75		14.258.XXX	<b>S</b>	
	050	<b>6</b> : 1 × 50 / 2 × 100 / 2 × 150 / 1 × 200			78.953.XXX		
	850	0. 1 × 30 / 2 × 100 / 2 × 130 / 1 × 200	75		14.252.XXX	S	Art. no. <b>14.245.020</b>
	850 850	<b>7</b> : 2 × 75 / 3 × 100 / 2 × 150	, ,		14.250.XXX	S	Light grey, RAL 7035 (excluding partition material)
	850 850 850	<b>7</b> : 2 × 75 / 3 × 100 / 2 × 150 <b>8</b> : 1 × 50 / 2 × 75 / 4 × 100 / 1 × 150		KEY Lock			
	850			KEY Lock			(excluding partition matchal)
	850		75		78.489.XXX		(excluding paration matcha)
	850 850	<b>8</b> : 1 × 50 / 2 × 75 / 4 × 100 / 1 × 150	75 75	KEY Lock	78.489.XXX 78.491.XXX		C
	850 850 723 723	8: 1 × 50 / 2 × 75 / 4 × 100 / 1 × 150 4: 1 × 50 / 1 × 75 / 1 × 125 / 1 × 200 5: 1 × 50 / 2 × 75 / 1 × 100 / 1 × 150	75 75 75	KEY Lock KEY Lock	78.491.XXX		S LISTA quick delivery range These LISTA products in the colours
	850 850 723	<b>8</b> : 1 × 50 / 2 × 75 / 4 × 100 / 1 × 150 <b>4</b> : 1 × 50 / 1 × 75 / 1 × 125 / 1 × 200	75 75	KEY Lock KEY Lock			S LISTA quick delivery range
	850 850 723 723	8: 1 × 50 / 2 × 75 / 4 × 100 / 1 × 150 4: 1 × 50 / 1 × 75 / 1 × 125 / 1 × 200 5: 1 × 50 / 2 × 75 / 1 × 100 / 1 × 150	75 75 75	KEY Lock KEY Lock KEY Lock	78.491.XXX		S LISTA quick delivery range These LISTA products in the colours light blue (.010) and light grey (.020)

www.lista.com

25



For colour information see fold-out page. When ordering, please use the desired three-digit colour code (instead of XXX).

## Drawer cabinets I stationary and mobile



### 36×27 E

W 🔿 717 mm 🛛 🗖 572	2 mm
--------------------	------



(#1)	-			Ì.
_				1
_			_	1
_	-			l
_	_	_	-	1
-	-	-	_	1
				L
				L

Н	Number of drawers mm	kg		Art. no. 🛛 🎇
700	<b>5</b> : 1 × 50 / 2 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	78.556.XXX
700	<b>5</b> : 2 × 75 / 2 × 100 / 1 × 250	75	KEY Lock	78.560.XXX
700	<b>6</b> : 2 × 75 / 3 × 100 / 1 × 150	75	KEY Lock	78.564.XXX



850	<b>7</b> : 1 × 50 / 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	78.568.XXX
850	<b>7</b> : 2 × 75 / 2 × 100 / 2 × 125 / 1 × 150	75	KEY Lock	78.572.XXX
850	<b>8</b> : 4 × 75 / 3 × 100 / 1 × 150	75	KEY Lock	78.576.XXX



1000	<b>7</b> : 1 × 50 / 2 × 75 / 2 × 100 / 1 × 200 / 1 × 300	75	KEY Lock	78.580.XXX
1000	<b>7</b> : 2 × 75 / 1 × 100 / 3 × 150 / 1 × 200	75	KEY Lock	78.584.XXX
1000	<b>8</b> : 1 × 50 / 2 × 75 / 3 × 100 / 1 × 150 / 1 × 250	75	KEY Lock	78.588.XXX

75

75

75

KEY Lock 78.604.XXX

KEY Lock 78.608.XXX

KEY Lock 78.606.XXX



### Mobile cabinets

**5**:  $1 \times 50 / 2 \times 100 / 1 \times 150 / 1 \times 200$ 

**5**: 2 × 75 / 2 × 100 / 1 × 250

**6**: 2 × 75 / 3 × 100 / 1 × 150

All mobile drawer cabinets on these two pages are equipped with: 1 raised edge on four sides including ribbed mat, 1 push-bar, 1 pair of castor holders with rubber castors Ø 160 mm, single drawer safety catch on the right, load capacity 600 kg



When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix **"C"** or for **RFID** or **AUTO Lock** the suffix **"F"** or **"A"** to the article number from the table (e.g. **78.467.XXX.C**).

Other locking systems see p. 28–31



Reseda green, RAL 6011 (excluding partition material)

957

957

957



Art. no. 78.782.010 Light blue, RAL 5012 (excluding partition material)

W 🔁 1023 mm

Art. no. 69.561.200 Anthracite grey, RAL 7016 (incl. folding countertop, perforated side panel and perforated rear panel)



54×27 E

918×459 mm





ΗΛ Number of drawers mm 8 kg Art no 🎇 850 **5**: 3 × 100 / 1 × 150 / 1 × 300\*\* 75 KEY Lock 78.742.XXX 850 **5**: 3 × 100 / 1 × 150 / 1 × 300 200 KEY Lock 78.744.XXX 850 6: 2 × 75 / 2 × 100 / 1 × 150 / 1 × 250\*\* 75 **KEY Lock** 78.746.XXX **6**: 2 × 75 / 2 × 100 / 1 × 150 / 1 × 250 78.748.XXX 850 200 KEY Lock 850 **7**: 1 × 50 / 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200 75 **KEY Lock** 78.750.XXX **7**: 1×50\*/2×75/2×100/1×150/1×200 KEY Lock 78.752.XXX 850 200 1000 **6**: 3 × 100 / 2 × 150 / 1 × 300\*\* 75 KEY Lock 78.754.XXX 6: 3 × 100 / 2 × 150 / 1 × 300 78.756.XXX 1000 200 KEY Lock 1000 **7**: 2 × 75 / 1 × 100 / 3 × 150 / 1 × 200 75 KEY Lock 78.758.XXX 1000 **7**: 2 × 75 / 1 × 100 / 3 × 150 / 1 × 200 200 KEY Lock 78.760.XXX **8**: 2 × 75 / 4 × 100 / 1 × 150 / 1 × 200 1000 75 KEY Lock 78.762.XXX **8**: 2 × 75 / 4 × 100 / 1 × 150 / 1 × 200 1000 200 KEY Lock 78.764.XXX 1450 **9**: 2×75/2×100/2×150/2×200/1×300\*\* 75 KEY Lock 78.766.XXX 1450 **9**: 2 × 75 / 2 × 100 / 2 × 150 / 2 × 200 / 1 × 300 200 KEY Lock 78.768.XXX **1450 10**: 2 × 75 / 3 × 100 / 2 × 150 / 3 × 200 75 **KEY Lock** 78.770.XXX **1450 10**: 2 × 75 / 3 × 100 / 2 × 150 / 3 × 200 200 KEY Lock 78.772.XXX **1450 11**: 2 × 75 / 5 × 100 / 2 × 150 / 2 × 200 75 KEY Lock 78.774.XXX **1450 11**: 2 × 75 / 5 × 100 / 2 × 150 / 2 × 200 78.776.XXX 200 **KEY Lock 4**: 1 × 100 / 2 × 150 / 1 × 200 KEY Lock 78.778.XXX 957 75  $\textbf{5}: 2 \times 75$  / 1  $\times$  100 / 1  $\times$  150 / 1  $\times$  200 957 75 78.780.XXX KEY Lock **6**: 2 × 75 / 3 × 100 / 1 × 150 957 75 KEY Lock 78.782.XXX

D 🗾 572 mm



Art. no. 78.770.020 Light grey, RAL 7035 (excluding partition material)

	W	1193 mm 🛛 才 572 mm				
	Н↑	Number of drawers mm	kg	â	Art. no.  🎇	
4	1090¹	<b>9:</b> 2 × 100 (64 E) / 2 × 150, 1 × 200 (36 E) / 2 × 150, 2 × 100 (18 E) / with folding countertop, perforated side panel and perforated rear panel	75	KEY Lock	69.561.XXX	

www.lista.com

64×27 E



For colour information see fold-out page. When ordering, please use the desired three-digit colour code (instead of XXX). \* Load capacity max. 75 kg <sup>1</sup> Height without \*\* Load capacity 200 kg

perforated rear panel

## Drawer cabinets I stationary and mobile

**In addition to the stationary versions, all LISTA drawer cabinets are also available as mobile cabinets.** This increased mobility provides greater convenience and gains extra space. Mobile cabinets enable you to transport stored items easily and quickly and can conveniently be stored under a work surface if space is at a premium.

**Greater mobility** through smooth-running nylon and rubber castors, depending on the properties of the floor

**Optimum use of space** when positioned under work surfaces

**Safe and convenient** thanks to raised edges all round, ergonomic push-bar and additional drawer safety mechanisms

## Benefits of LISTA drawer cabinets

see p. 38/39

 $\rangle$ 

Ľ	For colour information see fold-out page. When ordering, please use the desired three-digit colour code (instead of XXX).
---	---

👪 = load capacity
= locking system

Art. no. **78.439.512.C** Housing: Light grey, RAL 7035 Fronts: Ruby red, RAL 3003 (excluding partition material)

<b>E BERRE</b>		
12	RFID	0
	ng a drawer ca	

these two pages with CODE Lock, please add the suffix "C" or for RFID or AUTO Lock the suffix "F" or "A" to the article number from the table (e.g. 78.467.XXX.C).

Other locking systems see p. 28–31

Mobile cabinets All mobile drawer cabinets on this page are equipped with: 1 raised edge on 4 sides and ribbed mat, 1 push-bar, 1 pair castor holders with nylon castors Ø 100 mm, Drawer safety catch on right, Load capacity 400 kg

### Art. no. **78.459.512** Housing: Light grey, RAL 7035 Fronts: Ruby red, RAL 3003 (excluding partition material)

× 612 mm	Η	Number of drawers mm	kg	6	Art. no. 🛛 🎇
	283	<b>2</b> : 1 × 50 / 1 × 150	75	KEY Lock	78.431.XXX
	283	<b>2</b> : 2 × 100	75	KEY Lock	78.433.XXX
	283	<b>3</b> : 1 × 50 / 2 × 75	75	KEY Lock	78.435.XXX
	383	<b>3</b> : 2 × 75 / 1 × 150	75	KEY Lock	78.437.XXX
	383	<b>3</b> : 1 × 50 / 1 × 100 / 1 × 150	75	KEY Lock	78.439.XXX
_	383	<b>4</b> : 1 × 50 / 2 × 75 / 1 × 100	75	KEY Lock	78.441.XXX

700	<b>3</b> : 2 × 150 / 1 × 300
700	<b>5</b> : 2 × 75 / 3 × 150

	2	•		2
	F	-	-	
	F		-	
_	H		Y	

700	<b>5</b> : 2 × 75 / 3 × 150	75	KEY Lock	78.449.XXX	
723	<b>4</b> : 1 × 50 / 1 × 100 / 2 × 150	75	KEY Lock	78.453.XXX	
723	<b>5</b> : 2 × 50 / 2 × 100 / 1 × 150	75	KEY Lock	78.455.XXX	
840	<b>6</b> : 2 × 50 / 2 × 75 / 2 × 150	75	KEY Lock	78.457.XXX	
890	<b>5</b> : 2×75 / 3×150	75	KEY Lock	78.459.XXX	

		KET LUCK	78.447.XXX	
<b>700 5</b> : 2 × 75 / 3 × 150	75	KEY Lock	78.449.XXX	





Art. no. 78.449.010

Light blue, RAL 5012

(excluding partition material)



## Drawer cabinets I stationary and mobile



kg

75

75

75

75

75

75

75

75

75

0

KEY Lock

Art. no. 🛛 🎇

78.497.XXX

78.499.XXX

14.437.XXX

78.505.XXX

15.009.XXX

78.511.XXX

78.518.XXX

14.350.XXX

14.352.XXX

S

S

S S

S S

S

S

S S Accessories see p. 62

27	×	36	Е

D 🗾 725 mm W 🗲 564 mm



× 612 mm	Н	Number of drawers mm
	283	<b>2</b> : 1 × 50 / 1 × 150

283

383

383

533

533

700

700

700

**2**: 2 × 100

**3**: 1 × 50 / 1 × 100 / 1 × 150

**4**: 1 × 50 / 2 × 100 / 1 × 200

**5**: 1 × 50 / 2 × 75 / 1 × 100 / 1 × 150

**5**: 2 × 75 / 1 × 100 / 1 × 150 / 1 × 200

**6**: 1 × 50 / 2 × 75 / 2 × 100 / 1 × 200

**4**: 1 × 100 / 2 × 150 / 1 × 200

3: 2 × 75 / 1 × 150

















800	<b>4</b> : 2 × 100 / 1 × 200 / 1 × 300	75	KEY Lock	14.371.XXX
800	<b>5</b> : 1 × 50 / 2 × 100 / 1 × 150 / 1 × 300	75	KEY Lock	14.368.XXX
800	<b>6</b> : 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	78.522.XXX
800	<b>7</b> : 1 × 50 / 2 × 75 / 2 × 100 / 2 × 150	75	KEY Lock	14.354.XXX
800	<b>7</b> : 2 × 75 / 4 × 100 / 1 × 150	75	KEY Lock	14.367.XXX
800	1: 1 × 100 + 1 door 600, right / 1 adjustable shelf / 1 pull-out shelf	75	KEY Lock	78.524.XXX
850	<b>4</b> : 3 × 150 / 1 × 300	75	KEY Lock	78.525.XXX
850	<b>5</b> : 1 × 50 / 2 × 100 / 1 × 200 / 1 × 300	75	KEY Lock	70 527 999
		15	NET LUCK	78.527.XXX
850	<b>6</b> : 1 × 75 / 3 × 100 / 1 × 125 / 1 × 250	75	KEY Lock	78.527.XXX 78.529.XXX
	<b>6</b> : 1 × 75 / 3 × 100 / 1 × 125 / 1 × 250 <b>5</b> : 2 × 100 / 1 × 150 / 2 × 200			
850 850 850		75	KEY Lock	78.529.XXX
850	<b>5</b> : 2 × 100 / 1 × 150 / 2 × 200	75 75	KEY Lock KEY Lock	78.529.XXX 14.399.XXX
850 850	<b>5</b> : 2 × 100 / 1 × 150 / 2 × 200 <b>6</b> : 1 × 50 / 2 × 100 / 2 × 150 / 1 × 200	75 75 75	KEY Lock KEY Lock KEY Lock	78.529.XXX 14.399.XXX 14.407.XXX
850 850 850	5: 2×100 / 1×150 / 2×200 6: 1×50 / 2×100 / 2×150 / 1×200 7: 1×50/2×75/2×100/1×150/1×200	75 75 75 75 75	KEY Lock KEY Lock KEY Lock KEY Lock	78.529.XXX 14.399.XXX 14.407.XXX 14.404.XXX

Art. no. 14.367.519.C Housing: Light grey, RAL 7035 Fronts: Metallic grey, NCS S 6502-B (excluding partition material)

	SHAM	

Equipped with drawers and doors Drawer cabinets can optionally be fitted with drawers and a door. Because the door is recessed, special pull-out shelves are used. As standard, the two locks have different keys. Identical locks or a CODE/RFID Lock locking system are available on request (CODE/RFID Lock is not available for doors).

18×27 E 27×27 E 36×27 E 54×27 E	18 × 36 E 27 × 36 E		54 × 36 E 64 × 36 E	
---------------------------------	---------------------	--	---------------------	--



27×36 E       W 2 564 mm       D 2 725 mm         W 2 564 mm       D 2 725 mm       At no. 200         459×612 mm       M 2 564 mm       At no. 200				CS S 6502-B	oy red, RAL llic grey, N	Art. no. <b>78.524</b> . Housing: Ruby re Fronts: Metallic g (excluding partitie	0	
723       4: 1 × 50 / 2 × 100 / 1 × 200       75       KEY Lock       14.281.XXX       S         723       5: 2 × 50 / 2 × 100 / 1 × 150       75       KEY Lock       14.331.XXX       S         723       6: 2 × 50 / 2 × 75 / 2 × 100       75       KEY Lock       14.347.XXX       S         Mobile cabinets         Mobile cabinets         All mobile drawer cabinets on this page are	Housing: Light grey, RAL 7035 Fronts: Ruby red, RAL 3003 (excluding partition material) S Mobile cabinets All mobile drawer cabinets on this page are		14.281.XXX 14.331.XXX 14.347.XXX	KEY Lock KEY Lock KEY Lock	75 75 75	Number of drawers mm 4: 1 × 50 / 2 × 100 / 1 × 200 5: 2 × 50 / 2 × 100 / 1 × 150 6: 2 × 50 / 2 × 75 / 2 × 100	723 723 723	
890       5: 2 × 75 / 1 × 100 / 1 × 150 / 1 × 200       75       KEY Lock       78.546.XXX       equipped with:         890       6: 1 × 50 / 2 × 75 / 2 × 100 / 1 × 200       75       KEY Lock       78.548.XXX       1 raised edge on 4 sides and ribbed mat,         1 push-bar,       1 pair castor holders with nylon castors Ø 100 mm,       Drawer safety catch on right, Load capacity 400 kg	<ul> <li>1 raised edge on 4 sides and ribbed mat,</li> <li>1 push-bar,</li> <li>1 pair castor holders with nylon castors Ø 100 mm,</li> </ul>							
990       5: 1 × 50 / 2 × 100 / 1 × 150 / 1 × 300       75       KEY Lock       14.374.XXX       S         990       5: 3 × 100 / 2 × 200       75       KEY Lock       14.397.XXX       S         990       7: 1 × 50 / 2 × 75 / 2 × 100 / 1 × 150       75       KEY Lock       14.373.XXX       S         990       7: 2 × 75 / 4 × 100 / 1 × 150       75       KEY Lock       14.373.XXX       S	S S i	S	14.397.XXX 14.372.XXX	KEY Lock KEY Lock	75 150 75	<b>5</b> : 3 × 100 / 2 × 200 <b>7</b> : 1 × 50 / 2 × 75 / 2 × 100 / 2 × 150	990 990	
$\frac{760}{1 \text{ set of support brackets (upper)}}{760} \frac{3:1 \times 50/1 \times 100/1 \times 150/}{1 \text{ set of support brackets (upper)}} \frac{75}{75} \times \text{KEY Lock} \frac{70.632.XXX}{70.632.XXX}$ $\frac{322}{760} \frac{3:1 \times 50/1 \times 100/1 \times 150/}{1 \text{ set of support brackets (upper)}} \frac{75}{75} \times \frac{78.216.XXX}{78.216.XXX}$ When ordering a drawer cabinet from these two pages with CODE Lock, please add the suffix "C" or for RFID or AUTO Lock the suffix "F" or "A" to the article number from the table (e.g. 78.467.XXX.C).	these two pages with <b>CODE Lock</b> , please add the suffix <b>"C"</b> or for <b>RFID</b> or <b>AUTO Lock</b> the suffix <b>"F"</b> or <b>"A"</b> to the article number from the table					1 set of support brackets (upper)		
810       1 adjustable shelf       75       -       70.633.XXX         S       LISTA quick delivery range         These LISTA products in the colours       light blue (.010) and light grey (.020)         are available ex-works at short notice.	S LISTA quick delivery range These LISTA products in the colours light blue (.010) and light grey (.020) are available ex-works at short notice.		70.633.XXX	-	75	1 adjustable shelf	810	



## Drawer cabinets I stationary and mobile



Art. no. 14.505.514.C Housing: Light grey, RAL 7035 Fronts: Light blue, RAL 5012 (excluding partition material)

36 × 36 E		717 mm 🛛 🔽 725 mm			
-					
612×612 mm	Н	Number of drawers mm	kg	6	Art. no.  🎇
	800	<b>4</b> : 1 × 100 / 2 × 150 / 1 × 300	75	KEY Lock	78.632.XXX
	800	<b>6</b> : 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	78.636.XXX
	850	<b>4</b> : 1 × 100 / 1 × 150 / 1 × 200 / 1 × 300	75	KEY Lock	79.382.XXX
***	850	<b>4</b> : 1 × 100 / 1 × 150 / 1 × 200 / 1 × 300	200	KEY Lock	79.498.XXX
	850	<b>5</b> : 1 × 50 / 2 × 100 / 1 × 200 / 1 × 300	75	KEY Lock	14.411.XXX
	850	<b>5</b> : 1 × 50* / 2 × 100 / 1 × 200 / 1 × 300	200	KEY Lock	14.505.XXX
	850	<b>5</b> : 1 × 100 / 3 × 150 / 1 × 200	75	KEY Lock	14.410.XXX
	850	<b>5</b> : 1 × 100 / 3 × 150 / 1 × 200	200	KEY Lock	14.504.XXX
	850	<b>7</b> : 1 × 50 / 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	78.640.XXX
	850	<b>7</b> : 1×50*/2×75/2×100/1×150/1×200	200	KEY Lock	78.642.XXX
	850	<b>7</b> : 2 × 75 / 3 × 100 / 2 × 150	75	KEY Lock	14.409.XXX
	850	<b>7</b> : 2 × 75 / 3 × 100 / 2 × 150	200	KEY Lock	14.503.XXX
	850	<b>8</b> : 1 × 50 / 2 × 75 / 4 × 100 / 1 × 150	75	KEY Lock	14.408.XXX
	850	<b>8</b> : 1 × 50* / 2 × 75 / 4 × 100 / 1 × 150	200	KEY Lock	14.502.XXX
	* Load o	apacity max. 75 kg			



these two pages with **CODE Lock**, please add the suffix **"C"** or for **RFID** or **AUTO Lock** the suffix **"F"** or **"A"** to the article number from the table (e.g. **78.467.XXX.C**).

Other locking systems see p. 28–31

S S

S S S









Art. no. **13.106.200** Anthracite grey, RAL 7016 (excluding partition material)

612×612	r

36×36 E

	W-	<b>717 mm D 725 mm</b>			
mm	Н	Number of drawers mm	kg		Art. no.  🎇
	1000	<b>6</b> : 1 × 50/3 × 150/2 × 200	75	KEY Lock	14.417.XXX
	1000	<b>6</b> : 1 × 50*/3 × 150/2 × 200	200	KEY Lock	14.510.XXX
	1000	<b>6</b> : 1 × 100/4 × 150/1 × 200	75	KEY Lock	14.415.XXX
	1000	<b>6</b> : 1 × 100/4 × 150/1 × 200	200	KEY Lock	14.509.XXX
	1000	<b>7</b> : 1 × 50/2 × 75/2 × 100/1 × 200/1 × 300	75	KEY Lock	14.416.XXX
	1000	<b>7</b> : 1×50*/2×75/2×100/1×200/1×300	200	KEY Lock	18.205.XXX
	1000	<b>8</b> : 1 × 50/2 × 75/2 × 100/2 × 150/1 × 200	75	KEY Lock	14.414.XXX
	1000	<b>8</b> : 1×50*/2×75/2×100/2×150/1×200	200	KEY Lock	14.508.XXX
	1000	<b>8</b> : 2 × 75/3 × 100/3 × 150	75	KEY Lock	14.412.XXX
	1000	<b>8</b> : 2 × 75/3 × 100/3 × 150	200	KEY Lock	14.506.XXX
	1000	<b>9</b> : 9 × 100	75	KEY Lock	78.648.XXX
	1000	<b>9</b> : 9 × 100	200	KEY Lock	78.650.XXX
	1000	<b>10</b> : 1 × 50 / 2 × 75 / 7 × 100	75	KEY Lock	14.413.XXX
	1000	<b>10</b> : 1 × 50*/2 × 75/7 × 100	200	KEY Lock	14.507.XXX
	1450	<b>9</b> : 2×75/2×100/2×150/2×200/1×300	75	KEY Lock	78.309.XXX
	1450	<b>9</b> : $2 \times 75/2 \times 100/2 \times 150/2 \times 200/1 \times 300$	200	KEY Lock	14.511.XXX
	1450	<b>9</b> : $3 \times 100 / 5 \times 150 / 1 \times 300$	75	KEY Lock	78.311.XXX
	1450	<b>9</b> : $3 \times 100 / 5 \times 150 / 1 \times 300$	200	KEY Lock	13.106.XXX
	1450	<b>10</b> : $1 \times 50 / 5 \times 100 / 4 \times 200$	75	KEY Lock	78.313.XXX
1	1450	<b>10</b> : $1 \times 50^* / 5 \times 100 / 4 \times 200$	200	KEY Lock	14.512.XXX
	890	<b>3</b> : 1 × 100/1 × 200/1 × 300	200	KEY Lock	69.927.XXX
	890	<b>5</b> : 1 × 50/2 × 100/1 × 150/1 × 200	75	KEY Lock	69.928.XXX
	890	<b>6</b> : 2 × 75/3 × 100/1 × 150	75	KEY Lock	69.929.XXX
2	957	<b>5</b> : 1 × 50/2 × 100/1 × 150/1 × 200	75	KEY Lock	78.652.XXX

Mobile cabinets

S S

S

S

S

S

S

S

S

S

S

S

S

KEY Lock 78.666.XXX

KEY Lock 78.668.XXX

75

75

All mobile drawer cabinets are equipped with: 1 raised edge on 4 sides and ribbed mat, 1 push-bar, 1 pair castor holders with rubber castors Ø 160 mm, Drawer safety catch on right, Load capacity 600 kg For height 890 mm: Rubber casters Ø 100 mm, capacity 400 kg



Art. no. **78.668.090** Gentian blue, RAL 5010 (excluding partition material)

www.lista.com



1107

**1107 7**: 2 × 75/2 × 100/2 × 125/1 × 150

**8**: 4 × 75/3 × 100/1 × 150

## Drawer cabinets | stationary



Art. no. 78.682.519 Housing: Light grey, RAL 7035 Fronts: Metallic grey, NCS S 6502-B (excluding partition material)

45 × 36 E

W 🔁 870 mm D 🔁 725 mm

**7**: 1 × 50/2 × 75/2 × 100/1 × 150/1 × 200

**7**: 2 × 75/2 × 100/2 × 125/1 × 150

**7**: 2 × 75/2 × 100/2 × 125/1 × 150

8: 4 × 75/3 × 100/1 × 150

**7**: 1×50\*/2×75/2×100/1×150/1×200

Number of drawers mm

	· · · · · · · · · · · · · · · · · · ·
W	
- 1	

765×612 mm

Η

850

850

850

850

850





850	<b>8</b> : 4 × 75/3 × 100/1 × 150	200	KEY Lock	78.684.XXX
1000	<b>7</b> : 1 × 50/2 × 75/2 × 100/1 × 200/1 × 300	75	KEY Lock	78.694.XXX
1000	<b>7</b> : 1 × 50*/2 × 75/2 × 100/1 × 200/1 × 300	200	KEY Lock	78.696.XXX
1000	<b>8</b> : 1×50/2×75/3×100/1×150/1×250**	75	KEY Lock	78.698.XXX
1000	<b>8</b> : 1 × 50*/2 × 75/3 × 100/1 × 150/1 × 250	200	KEY Lock	78.700.XXX
1000	<b>8</b> : 3×50/2×75/2×100/1×150/1×250**	75	KEY Lock	78.702.XXX
1000	<b>8</b> : 3 × 50*/2 × 75/2 × 100/1 × 150/1 × 250	200	KEY Lock	78.704.XXX

kg

75

75

200

75

200

8

KEY Lock

KEY Lock

KEY Lock

KEY Lock

KEY Lock

Art. no. 🛛 🎇

78.686.XXX

78.688.XXX

78.690.XXX

78.692.XXX

78.682.XXX

1450	<b>9</b> : 3 × 100/5 × 150/1 × 300**	75	KEY Lock	78.706.XXX
1450	<b>9</b> : 3 × 100 / 5 × 150 / 1 × 300	200	KEY Lock	78.708.XXX
1450	<b>9</b> : 9 × 150	75	KEY Lock	78.710.XXX
1450	<b>9</b> : 9 × 150	200	KEY Lock	78.712.XXX
1450	<b>13</b> : 4 × 75/6 × 100/3 × 150	75	KEY Lock	78.714.XXX
1450	<b>13</b> : 4 × 75/6 × 100/3 × 150	200	KEY Lock	78.716.XXX
* 1.00	d conscitution 75 km			

Load capacity max. 75 kg

\*\* Load capacity 200 kg

Art. no. 78.716.010 Light blue, RAL 5012 (excluding partition material)



When ordering a drawer cabinet from these two pages with CODE Lock, please add the suffix "C" or for RFID or AUTO Lock the suffix "F" or "A" to the article number from the table (e.g. 78.467.XXX.C).

Other locking systems see p. 28–31



a = load capacity = locking system

## 



Art. no. 78.297.280.C

C. C. C. LAND

Orange, RAL 2004 (excl. partition material)

54×36 E

W 
> 1023 mm D 🔁 725 mm

 $\textbf{5}: 3 \times 100 \ / \ 1 \times 150 \ / \ 1 \times 300 \ ^{**}$ 

**6**: 2 × 75 / 2 × 100 / 1 × 150 / 1 × 250\*\*

**7**: 1 × 50/2 × 75/2 × 100/1 × 150/1 × 200

**7**: 1 × 50\*/2 × 75/2 × 100/1 × 150/1 × 200

**6**: 2 × 75 / 2 × 100 / 1 × 150 / 1 × 250

**5**: 3 × 100 / 1 × 150 / 1 × 300

**Number** of drawers mm

850

850

850

850

850

850

	-	
I		
I		
I		
1		

918×612 mm



-	
-	
-	

1000	<b>5</b> : 2 × 100 / 2 × 200 / 1 × 300**	75	KEY Lock	79.390.XXX
1000	<b>5</b> : 2 × 100 / 2 × 200 / 1 × 300	200	KEY Lock	79.392.XXX
1000	<b>6</b> : 1 × 100 / 4 × 150 / 1 × 200	75	KEY Lock	78.291.XXX
1000	<b>6</b> : 1 × 100 / 4 × 150 / 1 × 200	200	KEY Lock	14.515.XXX
1000	<b>7</b> : 1×50/2×75/2×100/1×200/1×300**	75	KEY Lock	78.292.XXX
1000	<b>7</b> : 1×50*/2×75/2×100/1×200/1×300	200	KEY Lock	14.516.XXX
1000	<b>8</b> : 1 × 50/2 × 75/2 × 100/2 × 150/1 × 200	75	KEY Lock	78.293.XXX
1000	<b>8</b> : 1 × 50*/2 × 75/2 × 100/2 × 150/1 × 200	200	KEY Lock	12.541.XXX
1000	<b>8</b> : 2 × 75 / 3 × 100 / 3 × 150	75	KEY Lock	78.294.XXX
1000	<b>8</b> : 2 × 75 / 3 × 100 / 3 × 150	200	KEY Lock	14.513.XXX
1000	<b>10</b> : 1 × 50 / 2 × 75 / 7 × 100	75	KEY Lock	78.295.XXX
1000	<b>10</b> : 1×50*/2×75/7×100	200	KEY Lock	14.514.XXX
1450	<b>9</b> : 2×75/2×100/2×150/2×200/1×300**	75	KEY Lock	78.296.XXX
1450	<b>9</b> : 2 × 75/2 × 100/2 × 150/2 × 200/1 × 300	200	KEY Lock	12.550.XXX
1450	<b>9</b> : 3 × 100 / 5 × 150 / 1 × 300**	75	KEY Lock	78.297.XXX
1450	<b>9</b> : 3 × 100 / 5 × 150 / 1 × 300	200	KEY Lock	14.518.XXX

kg

75

200

75

200

75

200

8

KEY Lock

KEY Lock

KEY Lock

KEY Lock

KEY Lock

Art. no. 🎇

78.798.XXX

78.800.XXX

78.802.XXX

78.804.XXX

78.806.XXX

78.298.XXX

14.519.XXX

S

S

S S

S S S S

S S

S

S

KEY Lock 78.796.XXX

### LISTA quick delivery range These LISTA products in the colours

light blue (.010) and light grey (.020) are available ex-works at short notice.



S

Light grey .020 RAL 7035



Art. no. 14.516.514 Housing: Light grey, RAL 7035 Fronts: Light blue, RAL 5012 (excluding partition material)



1000	<b>8</b> : 1 × 50"/2 × 75/2 × 100/2 × 150/1 × 200	200	KEY LOCK
1000	<b>8</b> : 2 × 75 / 3 × 100 / 3 × 150	75	KEY Lock
1000	<b>8</b> : 2 × 75 / 3 × 100 / 3 × 150	200	KEY Lock
1000	<b>10</b> : 1 × 50 / 2 × 75 / 7 × 100	75	KEY Lock
1000	<b>10</b> : 1×50*/2×75/7×100	200	KEY Lock
1450	<b>9</b> : 2 × 75/2 × 100/2 × 150/2 × 200/1 × 300**	75	KEY Lock
1450	<b>9</b> : 2 × 75/2 × 100/2 × 150/2 × 200/1 × 300	200	KEY Lock
1450	<b>9</b> : 3 × 100 / 5 × 150 / 1 × 300**	75	KEY Lock
1450	<b>9</b> : 3 × 100 / 5 × 150 / 1 × 300	200	KEY Lock
1450	<b>10</b> : 1 × 50 / 5 × 100 / 4 × 200	75	KEY Lock
	<b>10</b> : 1×50*/5×100/4×200	200	KEY Lock



## Drawer cabinets | stationary



C /		
	- x 3	

₩→ 1193 mm D **7** 725 mm

	1088×612	mm
--	----------	----

		<b>_</b>
	(#3)	-
		-
		-
		-
		-
		- 1
200		-
- 200 1		
- 100		-
- 10		_

Η	Number of drawers mm	Model	kg		Art. no.  🎆
1000	<b>7</b> : 2×75/2×100/1×150**/2×200**	-	75	KEY Lock	78.826.XXX
1000	<b>7</b> : 2 × 75/2 × 100/1 × 150/2 × 200	-	200	KEY Lock	78.828.XXX
1000	<b>8</b> : 2 × 75/4 × 100/1 × 150**/1 × 200**	-	75	KEY Lock	78.830.XXX
1000	<b>8</b> : 2 × 75/4 × 100/1 × 150/1 × 200	-	200	KEY Lock	78.832.XXX
1000	<b>8</b> : 2 × 75 / 3 × 100 / 3 × 150**	-	75	KEY Lock	78.834.XXX
1000	<b>8</b> : 2 × 75 / 3 × 100 / 3 × 150	-	200	KEY Lock	78.836.XXX



<b>1450 10</b> : $\frac{2 \times 150 / 1 \times 125 / 1 \times 75 /}{3 \times 100 / 1 \times 150 / 2 \times 200}$	-	200	KEY Lock <b>78.838.XXX</b>
<b>1450 11</b> : $1 \times 150 / 1 \times 125 / 1 \times 75 / 5 \times 100 / 2 \times 150 / 1 \times 200$	-	200	KEY Lock <b>78.840.XXX</b>
<b>1450</b> 12: 1×150 / 1×125 / 3×75 / 5×100 / 1×150 / 1×200	-	200	KEY Lock 78.842.XXX



870	<b>8:</b> 1 × 200** (64 E) / 2 × 150, 1 × 200 (36 E) / 2 × 150, 2 × 100 (18 E)	Multiplex top, 20 mm	75	KEY Lock	69.562.XXX




Art. no. **78.842.514** Housing: Light grey, RAL 7035 Fronts: Light blue, RAL 5012 (excluding partition material)



Art. no. **69.562.200** with Multiplex cover panel, 20 mm anthracite grey, RAL 7016

>> Toolbox see p. 72-73



59

W 🔁 1431 mm

D 🔁 725 mm

1326×612 mm

78×36 E



Н	Number of drawers mm	kg	<b>D</b>	Art. no.
1000	<b>5</b> : 2 × 100 / 2 × 200**/ 1 × 300**	75	KEY Lock	79.492.XXX
1000	<b>5</b> : 2 × 100 / 2 × 200 / 1 × 300	200	KEY Lock	79.494.XXX
1000	<b>7</b> : 2×75/2×100/1×150**/2×200**	75	KEY Lock	78.856.XXX
1000	<b>7</b> : 2×75/2×100/1×150/2×200	200	KEY Lock	78.858.XXX
1000	<b>8</b> : 2×75/4×100/1×150**/1×200**	75	KEY Lock	78.860.XXX
1000	<b>8</b> : 2×75/4×100/1×150/1×200	200	KEY Lock	78.862.XXX

1450	<b>10</b> : $\frac{2 \times 150 / 1 \times 125 / 1 \times 75 /}{3 \times 100 / 1 \times 150 / 2 \times 200}$	200	KEY Lock	78.868.XXX
1450	<b>11</b> : 1 × 150 / 1 × 125 / 1 × 75 / 5 × 100 / 2 × 150 / 1 × 200	200	KEY Lock	78.870.XXX
1450	<b>12</b> : 1×150 / 1×125 / 3×75 / 5×100 / 1×150 / 1×200	200	KEY Lock	78.872.XXX



When ordering a drawer cabinet from these two pages with CODE Lock, please add the suffix "C" or for RFID or AUTO Lock the suffix "F" or "A" to the article number from the table (e.g. 78.467.XXX.C).

Other locking systems see p. 28–31



18×27 E 27×27 E 36×27 E 54×27 E 18×36 E 27×36 E 36×36 E 45×36 E 54×36 E 64×36 E 78×36 E



### 1. Cabinet housing with locking systems

To lock all drawers simultaneously, the cabinet housing can be customised with the electronic KEY Lock, CODE Lock, RFID Lock or AUTO Lock.





Housing with CODE Lock



### Housing with **RFID** Lock



### Housing with AUTO Lock

İ.,	When ordering a cabinet with CODE Lock,
	please add the suffix "C" or for RFID or AUTO
	Lock the suffix "F" or "A" to the article
	number from the table (e.g. 71.088.XXX.C).

Other locking systems: see p. 28–31

### 2. Drawers

Drawers with different front heights can be incorporated into the same cabinet housing in any order. The insides of the drawer walls are all fitted with a slotted grid in units (E) of 17 mm, which means each drawer can be partitioned as required.



### **Drawer safety catches**

**Standard:** standard model including single drawer safety catch (all article numbers from the table).

**Safety catch on right**: the minimum requirement for mobile drawer cabinets. One-sided drawer safety catch on the right can be released with one hand and prevents accidental opening of drawers even if the cabinet is unlocked.



			Dept	h 27 E	
LISTA	Units	18×27 E	27 × 27 E	36×27 E	54×27 E
Cabinet fl	loor area mm				
₩→	× D 7	411 × 572 mm	564 × 572 mm	717 × 572 mm	1023 × 572 mm
H 🚹 mm	Clear Height mm	Art. no.  🎇	Art. no.  🎇	Art. no.  🎇	Art. no.  🎇
283	200	71.059.XXX	71.070.XXX	-	-
383	300	71.060.XXX	71.071.XXX	-	-
533	450	71.061.XXX	71.072.XXX	-	-
650	550	71.062.XXX	71.073.XXX	0	0
700	600	71.063.XXX	71.074.XXX	71.086.XXX	71.102.XXX
800	700	0	71.075.XXX	0	0
850	750	71.401.XXX	71.076.XXX	71.087.XXX	71.103.XXX
1000	900	71.064.XXX	71.077.XXX	71.088.XXX	71.104.XXX
1150	1050	0	0	0	0
1325	1225	0	0	0	0
1450	1350	0	0	71.089.XXX	71.105.XXX
1625	1525	0	0	0	0
		$\bigcirc$ = on request			

 $\bigcirc$  = on request

LISTA	A Units	18×27 E	27 × 27 E	36×27 E	54×27 E
75 75 Drawer	75 kg Load capac	tity			
W	→ × D 7	306 × 459 mm	459 × 459 mm	612 × 459 mm	918 × 459 mm
H mm	Usable Shell height heigh	nt Art. no.	Art. no.  鶯	Art. no.  🎇	Art. no.  🎇
50*	32,5 28,		72.012.XXX	72.042.XXX	72.080.XXX
75	57,5 49	72.001.XXX	72.013.XXX	72.043.XXX	72.505.XXX
100	82,5 76	72.002.XXX	72.015.XXX	72.045.XXX	72.506.XXX
125	107,5 76	-	72.017.XXX	72.047.XXX	72.507.XXX
150	132,5 126	72.003.XXX	72.019.XXX	72.049.XXX	72.508.XXX
200	182,5 176	72.004.XXX	72.021.XXX	72.051.XXX	72.509.XXX
250	232,5 226	-	72.023.XXX	72.053.XXX	-
300	282,5 276	72.005.XXX	72.025.XXX	72.055.XXX	-


\* Drawers with a front height of 50 mm must be placed in the top position

## 200 200 kg

-	Load	capacity				
75	57,5	49	-	72.014.XXX	72.044.XXX	72.081.XXX
100	82,5	76	-	72.016.XXX	72.046.XXX	72.082.XXX
125	107,5	76	-	72.018.XXX	72.048.XXX	72.083.XXX
150	132,5	126	-	72.020.XXX	72.050.XXX	72.084.XXX
200	182,5	176	-	72.022.XXX	72.052.XXX	72.085.XXX
250	232,5	226	-	72.024.XXX	72.054.XXX	72.086.XXX
300	282,5	276	-	72.026.XXX	72.056.XXX	72.087.XXX


For filling and loading the drawers and drawer cabinets, please follow the installation manual and the loading guidelines. Load capacity applies to evenly distributed load.





18×36 E	27 × 36 E	36×36 E	45×36 E	54×36 E	64×36 E	78×36 E
306×612 mm	459×612 mm	612×612 mm	765 × 612 mm	918×612 mm	1088×612 mm	1326 × 612 mm
Art. no.  🎇	Art. no.	Art. no.  🎇	Art. no.   🎇	Art. no.  і	Art. no.	Art. no.  і
72.006.XXX	72.027.XXX	72.057.XXX	72.072.XXX	72.088.XXX	72.805.XXX	72.806.XXX
72.007.XXX	72.028.XXX	72.058.XXX	72.540.XXX	72.510.XXX	72.515.XXX	72.517.XXX
72.008.XXX	72.030.XXX	72.060.XXX	72.541.XXX	72.511.XXX	72.516.XXX	72.518.XXX
-	72.032.XXX	72.062.XXX	72.542.XXX	72.512.XXX	_	-
72.009.XXX	72.034.XXX	72.064.XXX	72.543.XXX	72.513.XXX	_	-
72.010.XXX	72.036.XXX	72.066.XXX	72.544.XXX	72.514.XXX	-	-
-	72.038.XXX	72.068.XXX		_	_	
72.011.XXX	72.040.XXX	72.070.XXX	-	-	_	-

- 72.029.XX	X 72.059.XXX	72.073.XXX	72.089.XXX	72.096.XXX	72.103.XXX
- 72.031.XX	X 72.061.XXX	72.074.XXX	72.090.XXX	72.097.XXX	72.104.XXX
- 72.033.XX	X 72.063.XXX	72.075.XXX	72.091.XXX	72.098.XXX	72.105.XXX
- 72.035.XX	X 72.065.XXX	72.076.XXX	72.092.XXX	72.099.XXX	72.106.XXX
- 72.037.XX	X 72.067.XXX	72.077.XXX	72.093.XXX	72.100.XXX	72.107.XXX
- 72.039.XX	X 72.069.XXX	72.078.XXX	72.094.XXX	72.101.XXX	72.108.XXX
- 72.041.XX	X 72.071.XXX	72.079.XXX	72.095.XXX	72.102.XXX	72.109.XXX



61

## Drawer cabinets | cabinet accessories



## Recessed hinged doors for pull-out and adjustable shelves

Made from sheet steel as a front closing option for the pullout and adjustable shelves built into the housing beneath the drawers. Equipped with a recessed grip and magnetic catch incl. KEY Lock. The sum of the hinged door front heights and all drawer front heights must be equal to the clear height of the cabinet housing.

		Dept	h 27 E
LISTA Units		18×27 E	27 × 27 E
Hinged doors, recess	ed*	Art. no. 🛛 🎇	Art. no. 🛛 🎇
Mounted on the right	H 450 mm	74.110.XXX	74.112.XXX
Mounted on the right	H 600 mm	74.111.XXX	74.113.XXX
Mounted on the right	H 750 mm	340.166.XXX	338.736.XXX
Mounted on the left	H 450 mm	74.122.XXX	74.126.XXX
Mounted on the left	H 600 mm	74.123.XXX	74.127.XXX
Mounted on the left	H 750 mm	340.999.XXX	338.737.XXX
+ cylinders with differe	nt keys	222.	376.000

\* without cylinder; please order this separately

Raised edge with ribbed mat

Dimensions ( $W \times D \times H mm$ )

Dimensions ( $W \times D \times H$  mm)

**Ribbed mat only** 



### Pull-out and adjustable shelves for recessed doors

Made from steel sheet, pigeon grey, NCS S 4502-B. Load capacity of pull-out shelf 75 kg, adjustable shelf 200 kg. Thanks to the 25 mm increments in the vertical supports of the cabinet housings, different shelves can be fitted in the same housing in any order.

Raised edges on 3 sides and ribbed mat

<b>Adjustable shelf</b> , H 75 mm	<b>74.005.000</b>	<b>74.009.000</b>	
Usable dimensions (W × D mm)	350 × 465	503 × 465	
<b>Pull-out shelf</b> , H 100 mm	<b>74.004.000</b>	<b>74.008.000</b>	
Usable dimensions (W × D mm)	281×459	434×459	

74.023.000

411×572×20

74.012.000

 $406 \times 567 \times 3$ 

74.025.000

 $564 \times 572 \times 20$ 

74.014.000

559 × 567 × 3





### Cover panel, resin-coated

Made from sheet steel, black, NCS S 9000-N,

including ribbed mat, black.

Surface and edging light grey, NCS S 1500-N, laminated chipboard (quality class E1), with melamine coating on both sides (manufactured according to standard EN 14322). 2 mm thick plastic edging on all sides. Including pre-drilled holes and fastening material.



### Multiplex cover panel

Made of steamed beech veneers, glued in multiple layers and waterproof (DIN 68 705), bevelled edges, sanded, oiled and waxed surface. The panel is splash-proof, dirt-repellent and largely impervious to oil and grease. Including pre-drilled holes and fastening material.

### Folding countertop

Attaches to the side of the drawer cabinet (depth 27 E). It can be mounted either on one side or on both drawer cabinet edges and offers a work surface up to 1000mm (2 × 500 mm) wider. It is operated one-handed. Multiplex top, sanded, oiled and waxed surface. Load capacity 25 kg, Housing incl. 10 × 10 square perforation, 38 mm divisions with slots, for cabinet height 850 mm.

Resin-coated cover panel	74.140.000	17.268.000
Dimensions (W $\times$ D $\times$ H mm)	411×572×22	$564 \times 572 \times 22$

Multiplex cover panel	12.590.000	12.592.000
Dimensions (W $\times$ D $\times$ H mm)	$411 \times 572 \times 20$	$564 \times 572 \times 20$

Folding countertop	69.555.XXX	69.555.XXX
Dimensions for folded module Dimensions of top ( $W \times D \times H$ mm)	86 × 571 × 880 500 × 565 × 20	86 × 571 × 880 500 × 565 × 20



### Push bar

This push bar can be mounted for the mobile version of drawer cabinets without raised edges in the transverse direction of travel. Galvanised steel, Ø 22 mm, curved.

Pus	n bar	
Widt	h mm	

**12.610.000** 399



Dept	h 27 E				Depth 36 E			
36 × 27 E	54×27 E	18×36 E	27 × 36 E	36×36 E	45×36 E	54×36 E	64×36 E	78×36 E
Art. no. 🛛 🎇	Art. no.	Art. no. 🛛 🎇	Art. no. 🛛 🎆	Art. no. 🛛 🎆	Art. no.	Art. no.	Art. no.	Art. no.
74.128.XXX	-	74.110.XXX	74.112.XXX	74.128.XXX	-	-	-	-
74.129.XXX	_	74.111.XXX	74.113.XXX	74.129.XXX	-	-	-	_
338.735.XXX	_	340.166.XXX	338.736.XXX	338.735.XXX	-	-	-	_
74.130.XXX	-	74.122.XXX	74.126.XXX	74.130.XXX	-	-	-	_
74.131.XXX	_	74.123.XXX	74.127.XXX	74.131.XXX	-	-	-	_
340.048.XXX	_	340.999.XXX	338.737.XXX	340.048.XXX	-	-	-	-
222.376.000	_		222.376.000	1	-	-	-	_

<b>74.105.000</b> 656 × 465	-	<b>74.007.000</b> 350×618	<b>74.011.000</b> 503 × 618	<b>74.106.000</b> 656×618	-	-	-	-
-	-	<b>74.006.000</b> 281×612	<b>74.010.000</b> 434×612	<b>342.371.080</b> 587×612	-	-	-	-


<b>74.027.000</b> 717 × 572 × 20	<b>74.030.000</b> 1023 × 572 × 20	<b>74.024.000</b> 411 × 725 × 20	<b>74.026.000</b> 564 × 725 × 20	<b>74.028.000</b> 717 × 725 × 20	<b>74.029.000</b> 870 × 725 × 20	<b>74.031.000</b> 1023 × 725 × 20	<b>74.032.000</b> 1193 × 725 × 20	<b>74.033.000</b> 1431 × 725 × 20
74.016.000	74.019.000	74.013.000	74.015.000	74.017.000	74.018.000	74.020.000	74.021.000	74.022.000
	$1018 \times 567 \times 3$	$406 \times 720 \times 3$	559 × 720 × 3	712 × 720 × 3	865 × 720 × 3	$1018 \times 720 \times 3$	$1188 \times 720 \times 3$	1426 × 720 × 3

17.270.000	74.143.000	74.141.000	17.269.000	17.271.000	74.142.000	74.144.000	74.145.000	74.146.000
717 × 572 × 22	1023 × 572 × 22	411×725×22	$564 \times 725 \times 22$	717 × 725 × 22	870×725×22	$1023\times725\times22$	$1193 \times 725 \times 22$	1431×725×22

12.594.000	12.597.000	12.591.000	12.593.000	12.595.000	12.596.000	12.598.000	12.599.000	12.600.000
$717 \times 572 \times 20$	$1023\times572\times20$	$411 \times 725 \times 20$	564  imes 725  imes 20	717×725×20	870×725×20	$1023\times725\times20$	$1193\times725\times20$	$1431 \times 725 \times 20$

69.555.XXX	69.555.XXX	-	-	-	-	-	-	-	
$86 \times 571 \times 880$ $500 \times 565 \times 20$	86 × 571 × 880 500 × 565 × 20								

12.610.000	12.610.000	12.611.000	12.611.000	12.611.000	12.611.000	12.611.000	12.611.000	12.611.000
399	399	552	552	552	552	552	552	552



## Drawer cabinets | cabinet accessories











Perforated	side	panel
------------	------	-------

To allow accessories (waste container, protective earth socket retaining bracket) or keyhole hooks to be attached to the side of the drawer cabinet (depth 27 E), this perforated plate can be fastened to the side of the housing cabinet. Square perforation  $10 \times 10$ , 38 mm divisions with slots. Design for housing height 850 mm. Sheet steel design. Colour: as per colour chart.

Housing base Made from sheet steel, as height compensation, black, NCS S 9000-N.

### 2-way pallet/forklift truck base

Made from sheet steel for screwing to the underside of the housing, black, NCS S 9000-N. **Base cover only** for attaching as a cover on the front or rear.

#### 18×27 E 27 × 27 E Art. no. Art. no. Perforated side panel 69.552.000 Dimensions ( $H \times D$ mm) 755×570 74.049.000 Housing base, H 50 mm 74.045.000 Dimensions (W × D mm) 411×540 564 × 540 74.046.000 74.050.000 Housing base, H 100 mm $411 \times 540$ $564 \times 540$ Dimensions ( $W \times D$ mm)

Depth 27 E

Base, without cover, H 100 mm	-	-
Dimensions (W × D mm)		
Cover only, H 100 mm	-	-

74.034.000

411×572

lengthwise

74.036.000

564×572

lengthwise

Raised edge, H 53 mm

Raised edges on 4 sides, with push-bar

 Made from sheet steel, black, NCS S 9000-N, including ribbed
 Dimensions (W × D mm)

 mat, black. Push-bar consisting of a pair of plastic handle grips,
 Direction of travel

 RAL 9006 white aluminium, and aluminium tube Ø 25 mm,
 clear anodised.

<b>with nylon castors*</b> , Ø 100 mm H/Load capacity kg Direction of travel	<b>74.071.000</b> 137/400 lengthwise	<b>74.071.000</b> 137/400 lengthwise
with rubber castors* Ø 100 mm	74.072.000	74.072.000
H/Load capacity kg Direction of travel	137/400 lengthwise	137/400 lengthwise
with rubber castors*, Ø 160 mm	-	74.075.000
H/Load capacity kg Direction of travel		204/600 lengthwise

Note: Can only be used in combination with housings

333.888.000

567





Protective strip

Pair of castor holders

black, rubber castors grey.

Made of black polythene, including fastening screws for mounting on the sides of the drawer cabinet. Two protective strips must be attached to each side.

Consisting of 2 swivel castors with brakes and 2 fixed castors. Castor holders, sendzimir galvanised. Nylon castors

For safety reasons, mobile drawer cabinets must be fitted with a push-bar and a single drawer safety catch.

### Levelling foot set

Set consisting of 4 plastic pivot feet, Ø 50 mm, including mounting plates and fastening screws. Adjustment range: 45 – 90 mm. Load capacity: 1200 kg/foot. Art. no. 69.919.000

Protective strip

with a height of 700 mm.

Length (mm)

### Levelling foot set for cover plates

Set consisting of 2 pairs of levelling feet (4 plastic articulatedfeet), Ø 50 mm, mounting plates designed for the levelling foot holder, incl. fastening screws. Adjustment range 45–90 mm. Load capacity 1200 kg/foot

### Levelling foot covers

made of sheet steel, powder-coated white aluminium RAL 9006. Cover plate height 50 mm. Prevents small parts from getting under the cabinet. Closed look. The levelling foot set (69.920.000 or 69.921.000) is required for assembly. Cover plate can also be retrofitted afterwards.

Side cover plates	69.84	7.130
		7 4 2 0
Levelling foot set for cover plates	69.92	0.000



6	л
υ	4




Dept	h 27 E				Depth 36 E				
36 ×	27 E	54×27 E	18×36 E	27 × 36 E	36 × 36 E	45 × 36 E	54×36 E	64×36 E	78×36
Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
<b>69.552.000</b> 755 × 570	-	<b>69.552.000</b> 755 × 570	-	-	-	-	-	-	-
<b>74.053.000</b> 717 × 540	-	<b>74.057.000</b> 1023×540	<b>74.047.000</b> 411×693	<b>74.051.000</b> 564 × 693	<b>74.055.000</b> 717×693	<b>74.056.000</b> 870×693	<b>74.058.000</b> 1023×693	<b>74.059.000</b> 1193×693	<b>74.060.00</b> 0 1431×693
<b>74.054.000</b> 717 × 540	-	-	<b>74.048.000</b> 411×693	<b>74.052.000</b> 564 × 693	-	-	-	-	-
<b>74.061.000</b> 717×506	-	<b>74.064.000</b> 1023×506	-	<b>74.410.000</b> 564×659	<b>74.062.000</b> 717×659	<b>74.063.000</b> 870×659	<b>74.065.000</b> 1023×659	<b>74.065.000</b> 1193×659	<b>74.065.00</b> 0 1431×659
74.066.000	-	74.068.000	-	74.411.000	74.066.000	74.067.000	74.068.000	74.069.000	74.070.000
74.038.000	74.158.000	74.041.000	74.035.000	74.037.000	74.039.000	74.040.000	74.042.000	74.043.000	74.044.000
717 × 572 crosswise	717 × 572 lengthwise	1023 × 572 crosswise	411 × 725 lengthwise	564 × 725 lengthwise	717 × 725 lengthwise	870 × 725 crosswise	1023 × 725 crosswise	1193 × 725 crosswise	1431 × 725 crosswise
74.077.000	74.071.000	74.077.000	74.073.000	74.073.000	74.073.000	74.080.000	74.080.000	74.080.000	74.080.00
137/400 crosswise	137 / 400 lengthwise	137/400 crosswise	137 / 400 lengthwise	137/400 lengthwise	137 / 400 lengthwise	137/400 crosswise	137/400 crosswise	137 / 400 crosswise	137/400 crosswise
74.078.000	74.072.000	74.078.000	74.074.000	74.074.000	74.074.000	74.081.000	74.081.000	74.081.000	74.081.00
137/400 crosswise	137 / 400	137/400 crosswise	137/400 Jongthwise	137/400 longthwise	137 / 400 lengthwise	137/400 crosswise	137/400 crosswise	137 / 400 crosswise	137/400 crosswise
74.079.000	lengthwise 74.075.000		lengthwise	lengthwise					74.082.00
204/600	204/600	<b>74.079.000</b> 204/600	-	<b>74.076.000</b> 204/600	<b>74.076.000</b> 204/600	<b>74.082.000</b> 204/600	<b>74.082.000</b> 204/600	<b>74.082.000</b> 204/600	<b>74.082.00</b> 204/600
204/000	lengthwise	crosswise		lengthwise	lengthwise	crosswise	2047000	204/000	204/000

333.888.000	323.434.000
567	720

69.920.000

69.921.000

69.847.130					69.848.130			
69.842.130	69.844.130	69.840.130	69.841.130	69.842.130	69.843.130	69.844.130	69.845.130	69.846.130



## Drawer cabinets | Drawers with power supply

Drawer cabinets with a power supply are perfect for the centralised supply of rechargeable batteries and electrical devices. All cabinets can be configured individually and adapted to your specific storage needs through the flexible use of partition material, cabinet accessories and power supply via power modules.

- HIL

and the second se

Flexible range of applications with charging options for battery-operated electrical machines, BDE devices, notebooks, tablets and smartphones

**Perfect cable management** via cable openings (punch-outs) for protected and orderly cable routing

**Great design diversity** with sockets, on/off switch, power USB

+

Outstanding safety features CE compliant


**General benefits of LISTA drawer cabinets** see p.38/39



#### 1.) **Cabinet housing**

Housing incl. punch-outs for power supply, incl. cable harness, excl. connection cable with earthing (must be ordered separately according to the lower version). For simultaneous securing of all drawers. Incl. KEY Lock, our standard locking system with replaceable cylinders. Manual opening/locking with key.





Other locking systems: see p. 28-31

LISTA	Units	36 × 27 E	36×36 E
Cabinet flo	oor area mm		
₩ <del>&gt;</del>	× D 7	717 × 572 mm	717 × 725 mm
HA mm 700	Clear Height mm 600	Art. no. <b>%</b> <b>74.913.XXX</b>	Art. no. <b>***</b> <b>74.917.XXX</b>
800	700	-	74.918.XXX
850	750	74.914.XXX	74.919.XXX
1000	900	74.915.XXX	74.920.XXX
1150	1050	-	74.921.XXX
1325	1225	-	74.922.XXX
1450	1350	74.916.XXX	74.923.XXX
1625	1525	-	74.924.XXX
	inet accessories, from page 62	Partition material see from page 248	

36 × 27 E

612 × 459 mm

Art. no. 🎇

200 kg

72.044.XXX

72.046.XXX

72.048.XXX

72.050.XXX

72.052.XXX

72.054.XXX

72.056.XXX

74.820.XXX

74.821.XXX

74.822.XXX

Art. no. 🎆

75 kg

72.042.XXX

72.043.XXX

72.045.XXX

72.047.XXX

72.049.XXX

72.051.XXX

72.053.XXX

72.055.XXX

74.973.XXX

74.974.XXX

74.975.XXX

With hole cut-out for the assembly of 1 × power module, incl. cable quide, excl. connection cable (must be ordered separately

## Drawers

2.

Drawers with different front heights can be incorporated into the same cabinet housing in any order. The insides of the drawer walls are all fitted with a slotted grid in units (E) of 17 mm, which means each drawer can be partitioned as required.

LISTA Units

ΗΛ

mm

50\*

75

100

125

150 200

250

300

200

250

300

Drawer usable surface mm

Usable height

mm

32,5

57,5

82,5

107,5

132.5

182,5

232,5

282,5

Drawers with power supply

according to the lower version).

182,5

232,5

282,5

'Standard' drawers without power supply

Shell height

mm

28,5

49

76

76

126

176

226

276

176

226

276

W → × D 7

Drawer load capacity

### Ordering tips

When selecting drawers, the clear height of the cabinet housing defines the size. The sum of the drawer front heights (C) must be equal to the clear height (B) (see diagram).

\* Drawers with front height of 50 mm must be placed in the top position.





Max. 3 drawers with power supply per cabinet.

#### 3. Power supply

Power modules for drawers with power supply

-1			2
1	× switch,	,	





2 × socket 230 V





1 × overcurrent protection

(thermal fuse 10A),

Connecting cable				
4	89.385.000	89.389.000	89.386.000	89.387.000
3	89.531.000	-	89.532.000	89.533.000
2	-	89.595.000	-	-
1	89.535.000	-	89.536.000	89.537.000
Power modules	Art. no. D/PE	Art. no. CH	Art. no. F	Art. no. GB

For colour information see fold-out page. When ordering, please use the desired three-digit colour code (instead of XXX).





36 × 36 E

612 × 612 mm

Art. no.

72.059.XXX

72.061.XXX

72.063.XXX

72.065.XXX

72.067.XXX

72.069.XXX

72.071.XXX

74.823.XXX

Art. no. 🎆

75 kg

72.057.XXX

72.058.XXX

72.060.XXX

72.062.XXX

72.064.XXX

72.066.XXX

72.068.XXX

72.070.XXX

74.976.XXX


67

## Drawer cabinets I Workshop add-on modules

**Bespoke workshop design to suit your line of work.** Workshop equipment from LISTA has been tried and tested thousands of times in diverse industries. The modular design and excellent quality ensure that LISTA applications fit perfectly, are durable and robust. Special industry requirements are consistently met.








## Typical vehicle workshop solutions

www.lista.com

For colour information see fold-out page. When ordering, please use the desired three-digit colour code (instead of XXX).



## 64×27 E



W 🗲 1193 mm

Toolbox mobile D 7 572 mm


Number of drawers mm	kg		Art. no.  🌼
<b>64 E:</b> 2×100	75	KEY Lock	69.561.XXX
<b>36 E:</b> 2 × 150, 1 × 200	75		
<b>18 E:</b> 2 × 150, 2 × 100	75		
Folding countertop	25		
Multiplex cover panel, 30 mm			
Perforated side panel			
Perforated rear panel (usable height 360mm)			
Rubber castors, Ø 160 mm, incl. push handle			

## 64×36 E

× 36 E	W	1193 mm	D 725 mm			
	ΗT		Number of drawers mm	kg	•	Art. no.  🎇
	870	Toolbox	<b>64 E:</b> 1×200	200	KEY Lock	69.562.XXX
		stationary	<b>36 E:</b> 2 × 150, 1 × 200	75		
			<b>18 E:</b> 2 × 150, 2 × 100	75		
			Multiplex cover panel, 20mm			

<sup>1</sup> Height without perforated rear panel





\*The electrical connection must be installed by the customer.

customer. \*\*Galvanisation cannot provide complete protection against all liquids.



Туре	₩→	LISTA unit	Art.No.  🎆
СН	411 mm	18 × 36 E	69.910.XXX
D / PE	411 mm	18 × 36 E	69.912.XXX
F	411 mm	18 × 36 E	69.914.XXX
GB	411 mm	18 × 36 E	69.916.XXX
СН	411 mm	18 × 36 E	69.911.XXX
D / PE	411 mm	18 × 36 E	69.913.XXX
F	411 mm	18 × 36 E	69.915.XXX
GB	411 mm	18 × 36 E	69.917.XXX
	CH D / PE F GB CH D / PE F	CH         411 mm           D / PE         411 mm           F         411 mm           GB         411 mm           CH         411 mm           D / PE         411 mm           F         411 mm	CH         411 mm         18 × 36 E           D / PE         411 mm         18 × 36 E           F         411 mm         18 × 36 E           GB         411 mm         18 × 36 E           CH         411 mm         18 × 36 E           CH         411 mm         18 × 36 E           D / PE         411 mm         18 × 36 E           F         411 mm         18 × 36 E           F         411 mm         18 × 36 E           F         411 mm         18 × 36 E

\*\*\* CH version:  $1 \times$  surge protection instead of socket outlet 230 V.

### D 🔁 250 mm



Roller shutter cabinet Aluminium roller shutter, self-locking spring-loaded winding.	Housing base	<b>₩</b> →		Art. No. 🎇
High usable depth: 215 mm, punch-outs for power supply.	yes	1500 mm	800 mm	69.850.XXX
Incl. integrated perforated rear panel with $10 \times 10$ square perforation and	yes	2000 mm	800 mm	69.851.XXX
38 mm partitioning. Standard locking, KEY Lock.	no*	1500 mm	1050 mm	69.852.XXX
Optionally with integrated cable conduit and adjustable shelves (see page 186)	no*	2000 mm	1050 mm	69.853.XXX

\* For mounting on worktops.



## Toolbox

### **Folding countertop**

Integrated folding countertop module, single-handed operation. Load capacity: 25 kg. Multiplex top:  $564 \times 500 \times 20$  mm. Designed for drawer cabinet depth 27 E and drawer cabinet height 850 mm. See page 73.

### Perforated rear panel for Toolbox 64E

Self-supporting perforated rear panel module, direct mounting on the drawer cabinet. Square perforation,  $10 \times 10$  mm, 38 mm divisions with slots for holding accessories, usable height 360 mm. Colour as per colour chart. W × H: 1193 × 550 mm See page 73.

### Countertop

This multiplex worktop has been specially adapted to the 64  $\times$  27 E drawer cabinet to ensure a flush transition to the folding countertop Multiplex top: 30 mm (W  $\times$  D: 1193  $\times$  572 mm).



### Cabinet toolbox 6427E/3 and 6436E/3

The toolbox system for dimensions  $64 \times 36$  E and  $64 \times 27$  E (H: 850 mm) offers the flexible option of accommodating combined drawers in the dimensions 64, 36 and 18 E. See page 73. There are also various accessories that allow the cabinet to be individually configured as a small mobile workstation.

### Perforated side panel

Integrated perforated side rear panel module with  $10 \times 10$  mm square perforation, 38 mm divisions with slots for holding accessories. Designed for drawer cabinet depth 27 E and drawer cabinet height 850 mm H × D: 755 × 570 mm. Sheet steel design. Colour as per colour chart.



Depth 36 E

### 1. Cabinet housing with locking systems

To have simultaneous locking of all drawers, each cabinet housing can be configured individually using the KEY Lock system



### Housing with KEY Lock

### 2. Drawers

Drawers with different front heights can be incorporated into the same cabinet housing in any order. The insides of the drawer walls are all fitted with a slotted grid in units

(E) of 17 mm, which means each drawer can be partitioned as required.

75

### **Drawer safety catches**

Safety catch on right: the minimum requirement for mobile drawer cabinets. One-sided drawer safety catch on the right can be released with one hand and prevents accidental opening of drawers even if the cabinet is unlocked.

### When ordering a single safety catch on the right, please add the suffix "R" to the article number in the table (e.g. 72.034.XXX.R).

see p. 60/61

Ordering tips When selecting drawers, the clear height of the cabinet housing defines the maximum size. The sum of the drawer front heights (C1+C2) must correspond to the clear height (B1: 200 mm + B2: 500 mm), see diagram. For further drawers,



LISTA Units	64×27 E	64×36 E
Cabinet floor area		
W→×D↗mm	1193 × 572	1193 × 725
Clear mm height mm	Art. no.  🎇	Art. no. 🞇
<b>850</b> 700 (B1 200 + B2 500)	69.550.XXX	69.551.XXX

Depth 27 E

18×27E 36×27E 64×27E 18×36E 36×36E 64×36E 75 kg Load capacity Drawer usable surface × D 🖊 mm W→ 306 × 459 612 × 459 1088 × 459 306 × 612 612 × 612 1088 × 612 ΗΛ Usable Shell Art. no. 🎆 Art. no. 🎆 Art. no. 🎇 Art. no. 🎇 Art. no. 🎇 Art. no. 🎇 mm height height 50\* 72.000.XXX 72.042.XXX 72.006.XXX 72.057.XXX 72.805.XXX 32,5 28,5 -75 57,5 49 72.001.XXX 72.007.XXX 72.058.XXX 72.515.XXX 72.043.XXX -100 72.008.XXX 72.060.XXX 72.097.XXX\*\* 82,5 76 72.002.XXX 72.045.XXX 72.800.XXX 125 107.5 76 \_ 72.047.XXX -72.062.XXX 72.098.XXX\*\* -150 132,5 72.064.XXX 72.099.XXX\*\* 126 72.003.XXX 72.049.XXX 72.009.XXX -200 182,5 72.004.XXX 72.051.XXX 72.010.XXX 72.066.XXX 72.100.XXX\*\* 176 72.801.XXX 250 232,5 226 \_ 72.053.XXX -72.068.XXX 300 276 72.005.XXX 72.055.XXX -72.011.XXX 72.070.XXX 282,5 -

Drawers with front height of 50 mm must be placed in the top position. \*\*

Load capacity 200 kg: For alternative drawer design, see page 60/61

### 3. Accessories for Toolbox 64 × 27 E

Accessories for the individual configuration of the 64 × 27 E toolbox



Model	Dimensions (mm)	Art. no. 🎇
Folding countertop Multiplex top: 20 mm. Plate size (W $\times$ H): 500 $\times$ 565 mm. Max. load capacity: 25 kg. Single-handed operation, Square perforation 10 $\times$ 10, suitable for cabinet height 850 mm	Folded 86 × 571 × 880 mm (W × D × H)	69.555.XXX
<b>Perforated side panel</b> Square perforation 10×10, 38mm divisions with slots. Design for cabinet housing height 850mm	755 × 570 mm (H × D)	69.552.XXX
Countertop / cover plate Multiplex 30 mm	1193 × 572 mm (W × D)	69.560.000
<b>Perforated rear panel</b> Square perforation 10×10, 38mm divisions with slots. Usable height: 360mm	1193 × 550 mm (W × H)	69.553.XXX
Push bar Inc. fastening material for side casing assembly. Galvanised steel. Pipe Ø: 22 mm.	Width: 399 mm	12.610.000
Pair of castor supports with rubber castors, 2 swivel castors with brakes and 2 fixed castors. Load capacity: 600 kg. Direction of travel: Transverse.	Ø 160mm Height: 204mm	74.079.000

4. Partition material for drawers



For colour information see fold-out page. When ordering, please use the desired three-digit colour code (instead of XXX).

## Drawer cabinets I with hinged or sliding doors

**LISTA drawer cabinets with hinged or sliding doors are ideal for large and heavy inventory items.** The doors enable tall items to be safely locked away and protected from dirt, damage and unauthorised access. The flexible inner partitioning options and a variety of locking systems ensure that you have the best solution for your needs – all with lots of clever details and a 10-year guarantee. Just as you would expect from LISTA.

.

CONTRACT.

Additional storage space and work surfaces through non-slip, easy-to-clean covers with raised edges all round

Benefits of LISTA drawer cabinets see p. 38/39

 $\rangle\rangle$ 

**Drawer cabinets with hinged or sliding doors for NC storage** see p. 76/77 and 100



Ideal for large and heavy inventory items up to 200 kg / drawer with pull-out shelves for flush storage

4.4.4

### Securely lockable

with a choice of hinged doors or space-saving sliding doors

**Can be adapted to new storage items at any time** because drawers, pull-out shelves and adjustable shelves can be flexibly added or modified in 25 mm increments

----

۲

+

+

SCHENCK

**Can easily be moved with a forklift truck** even with loaded cabinets, by using forklift truck bases

## Drawer cabinets I with hinged or sliding doors



W 🗲 717 mm

W 🗲 1430 mm



	-			
- ≺	h	$\mathbf{x}$		
	•	$\sim$	<u> </u>	

612×459 mm

14	



H 🚹 mm	Drawers mm	Pull-out shelves	kg		Art. no.   🎇
1020	1×75	2	75	KEY Lock	79.400.XXX
1020	1×75	2	200	KEY Lock	79.402.XXX
1020	2×75	1	75	KEY Lock	79.404.XXX
1020	2×75	1	200	KEY Lock	79.406.XXX
1020	3×75	1	75	KEY Lock	79.408.XXX
1020	3×75	1	200	KEY Lock	79.410.XXX
1020	3×75	2	75	KEY Lock	79.412.XXX
1020	3×75	2	200	KEY Lock	79.414.XXX
1020	4×75	-	75	KEY Lock	79.416.XXX
1020	4×75	-	200	KEY Lock	79.418.XXX
1020	5×75	-	75	KEY Lock	79.420.XXX
1020	5×75	-	200	KEY Lock	79.422.XXX

D 🗾 600 mm

2 × 36 × 27 E €12 × 459 mm





H 1 mm	Drawers mm	Pull-out shelves	kg		Art. no. 🛛 🎇
1020	2×75	6	75	KEY Lock	79.424.XXX
1020	2×75	6	200	KEY Lock	79.425.XXX
1020	4×75	2	75	KEY Lock	79.426.XXX
1020	4×75	2	200	KEY Lock	79.427.XXX
1020	6×75	2	75	KEY Lock	79.428.XXX
1020	6×75	2	200	KEY Lock	79.429.XXX
1020	8×75	-	75	KEY Lock	79.430.XXX
1020	8×75	-	200	KEY Lock	79.431.XXX
1020	4×75	4	75	KEY Lock	79.432.XXX
1020	4×75	4	200	KEY Lock	79.433.XXX
1020	10×75	-	75	KEY Lock	79.434.XXX
1020	10×75	-	200	KEY Lock	79.435.XXX

D 🔁 627 mm

### Equipment

All drawer cabinets with a height of 1020 mm on these two pages are equipped with: 3 raised sides, 20 mm high, including ribbed mat.



Art. no. **79.412.512** Housing: Light grey, RAL 7035 Fronts: Ruby red, RAL 3003 (excluding partition material)



### 2-way pallet/forklift truck base

Made from sheet steel for screwing to the underside of the housing, black, NCS S 9000-N. **Base cover only** for attaching as a cover on the front or rear.

Base for hinged door cabinet Dimensions ( $W \times D \times H mm$ )	<b>74.061.000</b> 717 × 506 × 100
<b>Cover</b> only, for hinged door cabinet	74.066.000
<b>Base for sliding door cabinet</b> Dimensions (W×D×H mm)	<b>12.505.000</b> 1430 × 560 × 100
Cover only, for sliding door cabinet	74.070.000

load capacity
 locking system





D 才 753 mm

Art. no. 79.460.180 Grey white, RAL 9002 (excluding partition material)

36×36 E

₩ **→** 717 mm





нл	Drawer top mm	Drawers	Pull-out shelves	ka	8	Art. no.
mm	Didwer top min	mm	i un out silenes	ĸġ		Art. no. 🦏
1020	-	2×75	2	75	KEY Lock	78.222.XXX
1020	-	2×75	2	200	KEY Lock	79.436.XXX
1020	2 adjustab	le shelves	2	75	KEY Lock	78.220.XXX
1020	2 adjustab	le shelves	2	200	KEY Lock	79.454.XXX
1020	-	4×75	1	75	KEY Lock	79.446.XXX
1020	-	4×75	1	200	KEY Lock	79.448.XXX
1020	1×150	2×75	2	75	KEY Lock	79.456.XXX
1020	1×150	2×75	2	200	KEY Lock	79.458.XXX
1020	$1 \times 50 / 1 \times 100$	$1 \times 75/2 \times 100$	1	75	KEY Lock	79.460.XXX
1020	$1 \times 50 / 1 \times 100$	$1 \times 75/2 \times 100$	1	200	KEY Lock	79.462.XXX
1020	2×75	3×75	1	75	KEY Lock	79.464.XXX
1020	2×75	3×75	1	200	KEY Lock	79.466.XXX
1450	_	2 × 75 / 1 × 150	2	75	KEY Lock	78.256.XXX
1450	-	2×75/1×150	2	200	KEY Lock	79.468.XXX
1450	3 adjustab	le shelves	2	75	KEY Lock	78.224.XXX
1450	3 adjustab	le shelves	2	200	KEY Lock	79.470.XXX
1450	-	$2 \times 75/3 \times 150$	-	75	KEY Lock	79.472.XXX
1450	-	2×75/3×150	-	200	KEY Lock	79.474.XXX

2 × 36 × 36 E

#### W 🗲 1430 mm D 🗾 780 mm



H 1 mm	Drawers mm	Pull-out shelves	kg	6	Art. no.   🎆
1020	4×75	2	75	KEY Lock	78.259.XXX
1020	4×75	2	200	KEY Lock	79.482.XXX
1020	4 adjustable shelves	2	75	KEY Lock	78.258.XXX
1020	4 adjustable shelves	2	200	KEY Lock	79.485.XXX
1020	4×75	4	75	KEY Lock	79.478.XXX
1020	4×75	4	200	KEY Lock	79.479.XXX



NC tool holders and insert frames see p. 102/103



When ordering a drawer cabinet from these two pages with CODE Lock, please add the suffix "C" or for RFID the suffix **"F"** to the article number from the table (e.g. **79.456.XXX.C**).

Other locking systems see p. 28-31



Light blue, RAL 5012



2-way pallet/forklift truck base Description see left-hand page

Base for hinged door cabinet Dimensions ( $W \times D \times H$ mm)	<b>74.062.000</b> 717×659×100
<b>Cover</b> only, for hinged door cabinet	74.066.000
	12 546 000
Base for sliding door cabinet	12.546.000
Dimensions (W $\times$ D $\times$ H mm)	$1430 \times 713 \times 100$
Carran anh	

Cover only, 74.070.000 for sliding door cabinet



## **Top-mounted cabinets for drawer cabinets**

Lots of storage in a small space: LISTA top-mounted cabinets provide additional storage area when space is at a premium. The stored items are in plain sight and easy to reach because they are positioned at viewing height. LISTA top-mounted cabinets are perfectly coordinated with our drawer cabinets and made from high-quality steel. In short: the perfect add-on for fast access to tools and equipment supporting continuous improvement processes such as Kaizen and 55.



For colour information see fold-out page. When ordering, please use the desired three-digit colour code (instead of XXX).

79

1000	930	1	62.637.XXX	62.640.XXX	-	62.636.XXX	62.639.XXX	-
with hing	ed doors with	ı viewing	windows					
1000	930	1	-	62.642.XXX	-	-	62.641.XXX	-
with soli	d sheet sliding	doors						
1000	930	1	-	62.644.XXX	62.646.XXX	-	62.643.XXX	62.645.XXX
with slidi	ng doors with	viewing	windows					
1000	930	1	-	62.648.XXX	62.650.XXX	-	62.647.XXX	62.649.XXX

36 × 36 E


717 × 725 mm

Art. no. 🎇

78 × 27 E

1431 × 572 mm

Art. no. 🎇



36 × 27 E

717 × 572 mm

Art. no. 🎇

### Adjustable shelves, plain

Depth 36 E

54 × 36 E

1023 × 725 mm

Art. no. 🎇

Adjustable shelves including 4 shelf supports. Specification: steel sheet, galvanised. Long sides folded by  $4 \times 90^{\circ}$ . 30 mm thick, load capacity 60 kg. Adjustable in increments of 25 mm.

Suitable for	36 × 27 E	54×27 E	78×27 E	36 × 36 E	54×36 E	78×36 E
	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
<b>Cover panel</b> , H 20 mm Usable dimensions (W×D mm)	<b>62.695.000</b> 717 × 152	<b>62.696.000</b> 1023 × 152	<b>62.697.000</b> 1431 × 152	-	-	-
<b>Adjustable shelf</b> , H 30 mm Usable dimensions (W × D mm)	<b>62.606.000</b> 695×497	<b>62.593.000</b> 1001 × 497	<b>62.607.000</b> 1409×497	<b>62.609.000</b> 695×650	<b>62.608.000</b> 1001 × 650	<b>62.610.000</b> 1409 × 650

1





www.lista.com

LISTA Units

Η**个** 

mm

Cabinet floor area mm W → × D 7

Clear height

mm

Adjustable

shelves

### Locking systems The standard **KEY Lock** locking

system with replaceable cylinders allows easy adaptation to existing locking systems. Further locking systems, e.g. CODE Lock and electronic locking via RFID transponder on request.

Depth 27 E

54×27 E

1023 × 572 mm

Art. no. 🎇

**Pin hinged doors** Doors are flush with the cabinet housing. Opening angle approx. 115°.





Doors with viewing windows

Provide an open view of the contents

78 × 36 E

1431 × 725 mm

Art. no. 🎇

# **MORE FLEXIBLE THAN EVER**

The new LISTA workshop trolley L3627 has been optimised for you in all of its key features and now offers you even more benefits, functions and improved ergonomics. In addition to even greater load capacities, its flexibility and adaptability make it the perfect solution for every area in the workplace. Because the basic models can be expanded to meet requirements at any time with versatile superstructures and add-ons.





### **Optimum load capacities**

Load capacity 40 kg per drawer, 400 kg housing

### Can be utilised to the full

Flexibly adaptable

accessories and tool hooks

**Extremely user-friendly** 

with robust, ergonomic push handle

since drawers can be fully extended and drawer shell heights are optimised



### Absolutely safe to work with

Central locking and single drawer opening protection against accidental opening when in motion

through perforated side and rear panels for holding



### **Additional safety**

**Full mobility** 

surface

(two of each) in solid rubber

through rounded corner pieces made from ABS plastic which act as buffers

thanks to the smooth-running fixed and swivel castors

through hard-wearing wooden cover or non-slip plastic

Additional storage space and work

cover with compartments for small parts



### Fully compatible with LISTA partition material thanks to the standardised unit of measure

see p. 248



## **LISTA**

## Fully modular and available in a wide range of versions

Depending on use and individual requirements, the basic models can be flexibly expanded in many ways by means of optional accessories.



## Fully extendable without crossbar

- Ioad capacity 40 kg
- enables it to be fully extendedextremely smooth-running with great
- ease of movement



### **Partition material**

- perforated, slotted drawers hold items firmly in place
- extensive range of partition material in the LISTA measurement unit see p. 248



### Labelling

handle folds upwards

easy, clean and protected labelling



Single safety catch

- can be operated with one handprotects against accidental opening
- when in motion





### **Central locking**

- a central locking system for all drawers
- secure and easy to use



Smooth-running castors

- two fixed castors
- two swivel castors including brake
   in solid rubber
- with generous Ø 100 mm





- ergonomic
- material: anodised aluminium

### **Corner pieces**

- protect against damage and also protect other workshop equipment or vehicles in the event of accidental contact
   material: ABS plastic
- colour: black, RAL 9005.



Wooden cover

- hard-wearing
- sanded, oiled and waxed surface
- material: Multiplex



- Plastic cover
- non-slip
- including compartments for small parts
- material: ABS plastic
- colour: black, RAL 9005.



### Perforated side panel

perforated and slotted for holding

accessories and keyhole hooks

 so that everyday tools are always ready to hand




### Perforated rear panel

- for fixing to the rear of workshop trolleys
- perforated and slotted for holding acces-
- sories and keyhole hooks see p. 162
- ergonomic tool arrangement

## Workshop trolley L3627










₩ <mark>→</mark> 894 mm	D <b>7</b> 525 mm	H 🕂 928 mm	Equipmer	nt to suit size 36 × 27 E
612 × 459 mm	Equipment	Number of drawers mm	Net weight kg	Art. no.  🎇
- until	With wooden cover in	<b>4</b> : 1 × 100 / 3 × 200	74	81.060.XXX
	Multiplex, 40 mm thick,	<b>5</b> : 2 × 75 / 1 × 150 / 2 × 200	78	81.061.XXX
	including single safety catch on right	<b>6</b> : 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	83	81.062.XXX
		<b>7</b> : 4 × 75 / 2 × 100 / 1 × 200	88	81.063.XXX



With plastic cover including	<b>4</b> : 1 × 100 / 3 × 200	64	81.064.XXX
single safety catch on right	<b>5</b> : 2 × 75 / 1 × 150 / 2 × 200	68	81.065.XXX
	<b>6</b> : 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	73	81.066.XXX
	<b>7</b> : 4 × 75 / 2 × 100 / 1 × 200	78	81.067.XXX



With plastic cover and edge protection including single safety catch on right	<b>4</b> : 1 × 100 / 3 × 200	66	81.068.XXX
	<b>5</b> : 2 × 75 / 1 × 150 / 2 × 200	70	81.069.XXX
	<b>6</b> : 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	75	81.070.XXX
	<b>7</b> : 4 × 75 / 2 × 100 / 1 × 200	80	81.071.XXX





drawer partition material see p. 248











## Accessories for perforated side panel



Add-on tray Usable Usable Art. no. width mm depth mm 380 310 **81.081.000** 

steel sheet, black, powder coated, including ribbed mat, black



Waste container Content Art. no. litres 12 81.085.000

steel sheet, black, powder coated



Paper roll holder			
for rolls Ø mm	Length mm	Art. no.	
400	360	81.058.000	

steel sheet, black, powder coated



Socket holding plate for Germany Length Art. no. in metres 1,5 81.086.000

NCS S 9000-N, black. With Smart socket strip  $4 \times$  German socket, black.



### Spray can holder

Height	Width	Depth	Art. no.
mm	mm	mm	
70	380	74	81.083.000

steel sheet, black, powder coated



Socket holding pla	te for Switzerland
Length in metres	Art. no.
3,0	81.087.000

NCS S 9000-N, black. With Prime-Line socket strip 4 × Swiss socket, black.



### Perforated panel with door on right

Height mm	Width mm	Depth mm	Art. no.
667	380	50	81.084.000

steel sheet, black, powder coated, lockable

## Perforated rear panel and accessories



Perforated rear panel			
Height mm	Width mm	Art. no.	
640	660	81.080.XXX	

steel sheet, square holes  $10 \times 10$  mm, distance between holes 38 mm



Container strip

Width

665

mm

Art. no. **65.234.060** 

steel sheet, black, with fixing bracket, load capacity 15 kg, for holding storage containers sizes: 2, 3 and 4 colour: Black



For keyhole hooks and storage containers see p. 162



## Vi kan skreddersy innredningen til ditt behov.

Vi står disponible til å bistå i deres prosjekter.

\*3D tegninger.

- \*Oppmålinger.
- \*Kartlegging av behov.
- \*Montasje.

Ta gjerne kontakt med oss om du har et behov som ikke finnes i katalogen.





Lista ble grunnlagt i 1945

Hovedkontoret ligger i Sveits.



Produksjonen foregår i Sveits og Tyskland.



## Kontaktinfo:

Ing Yngve Ege AS

Postadresse: Postboks 1 Sentrum 0101 Oslo

Besøksadresse: Ryenstubben 5 0679 Oslo Tel: 23 24 10 00 Fax: 23 24 10 01

ege@ege.no

Produktansvarlig.

Navn: Telefon: Epost: