

# STRONG AND SAFE

**LISTA drawer storage walls are perfect for storing large, heavy single items or a large number of small items and keeping them clearly organised and protected from dust and dirt.** All add-ons, drawers, pull-out shelves and adjustable shelves can be freely combined with one another. This enables a wide variety of different types of installation – even inside trucks and containers. The necessary changes can be made simply by reorganising the individual elements. This means that you can adapt your system to new logistics requirements at any time, so that you always have: A Solution to Match Your Needs. With all the benefits of our drawer cabinets.







### **Utmost stability**

through robust, sturdy design with a load capacity of up to 5.5 t per shelving unit



### **Large storage capacity with minimum space requirement**

since shelves can be up to 8.50 m high



### **A wide variety of equipment options**

with different pull-outs and shelves



### **Vertical pull-outs for clearer organisation and improved safety at work**

as a space-saving and user-friendly solution with direct access to the stored goods from both sides



### **Heavy-duty pull-outs**

with load capacities of up to 350 kg for especially large and heavy items



### **User-friendly**

through swing-out and sliding safety ladders for easy access to the upper shelves and drawers



### **Secure locking**

with a choice of roller shutters, hinged doors or space-saving sliding doors, optionally with viewing windows



### **Can be adapted to new storage items at any time**

through the flexible integration and rearrangement of drawers, pull-out shelves and adjustable shelves in increments of 25 mm



### **Benefits of LISTA drawer cabinets**

see p. 38/39



### **Fully compatible with LISTA partition material thanks to the standardised unit of measure**

see p. 248

# Drawer storage walls



## Separate components

- 1 Side frames
- 2 Rear wall and diagonal brace
- 3 Partition
- 4 Shelf side panel
- 5 Side panel cover
- 6 Universal shelves
- 7 Adjustable shelves
- 8 Dividers
- 9 Drawers
- 10 Fixed and locking shelves
- 11 Pull-out shelves
- 12 Heavy-duty pull-outs
- 13 Side frames for vertical pull-outs\*
- 14 Vertical pull-outs\*
- 15 Shelves for vertical pull-out\*
- 16 Locks for vertical pull-outs\*
- 17 Accessories for vertical pull-outs\*
- 18 Roller shutters, hinged and sliding doors
- 19 Levelling plates
- 20 Anchoring set
- Safety ladder\*
- Accessories for mobile furnishings\*

\* For more information, please contact us.

## + A wide variety of equipment options



### Fully extendable drawers

- load capacity 75 kg or 200 kg
- differential pull-outs without crossbar for perfectly smooth running
- for details see p. 40



### Fully extendable pull-out shelves

- load capacity 75 kg or 200 kg
- differential pull-outs without crossbar for perfectly smooth running
- inserts provide flush storage
- pull-out shelves with eyelets for fixing heavy parts on request



### Vertical pull-outs

- up to a load capacity of 200 kg (500 kg on request)
- for suspended and protective storage of pre-set tools
- optionally available with storage shelves, adjustable shelves, NC holder attachments and perforated panels



### Heavy-duty pull-outs

- up to a load capacity of 350 kg
- extremely smooth running
- wood or steel inserts and ribbed mats are available



### Adjustable and universal shelves, partitions and shelf side panels

- adjustable shelves: load capacity up to 200 kg, can be attached without screws
- universal shelves: up to a load capacity of 250 kg, can be fixed with screws
- optionally either plain or slotted for subdividing with partitions and side panels



### Stable side frames

- for shelf heights up to 8.50 m over several storeys
- can be covered with side panel covers
- also available for special inserts and mobile equipment on request



### Secure locking

- with lockable hinged doors
- sliding doors and roller shutters on request



## + Individual configuration options

LISTA drawer storage walls are available in two depths and can be configured to suit your exact individual requirements. The LISTA Unit enables all individual parts, drawers and partition materials to be freely combined with one another and quickly and easily replaced or added to.

### Typical configurations



#### Installed depth 553 mm

- ideal for locations with limited available space
- preferred system for use inside containers
- reduced depth makes it easy to remove heavy parts

D 27 E



#### Installed depth 706 mm

- maximum flexibility through large selection of products and accessories
- allows vertical pull-outs and heavy-duty pull-outs to be used
- available in five different widths

D 36 E

» Dimensions and load capacities  
see next page

## + Flexible range of applications



#### Mobile equipment

- in containers and trucks



#### Medicine storage


- well-organised and within reach

## + User-friendly




#### Safety ladders


- can be swung out and moved sideways for easy access to the upper shelves and drawers



## Dimensions and load capacities



**G** = Unit length (without side panels) = sum of installed widths + sum of side frames  
 Unit length (with side panels) = sum of installed widths + sum of side frames + 47 mm




### Unit widths for depth 27 E and 36 E

W → LISTA Units	36 E	45 E	54 E	64 E	78 E
Installed widths mm	664	817	970	1140	1378
Side frames	50	50	50	50	50
Side panel cover	23,5	23,5	23,5	23,5	23,5

## Configure and order drawer storage walls individually

**D ↗ 27 E**

**D ↗ 36 E**



### LISTA Units

- Select floor area of storage wall  $W \times D$  (e.g.:  $664 \times 706 \text{ mm} = 36 \times 36 \text{ E}$ )
- LISTA Unit  $E \times E$  = measurement unit for selecting side frames, stabilising elements, shelves, drawers and hinged doors

### 1. Side frames and stabilising elements

- Select height of side frames  $H$
- Select stabilising elements: rear panel or diagonal brace
- Floor anchor, drawer storage walls must be anchored
- Optional: levelling plates, frame pillar top covering, intermediate fill-in strip, side panel covers and partitions

### 2. Universal, locking and fixed shelves

- Depending on the height of the unit, a minimum number of universal shelves are necessary – please refer to the table
- Fixed and locking shelves including locking systems are used when drawers need to be lockable. Here, the universal shelves can be dispensed with entirely or used as a top shelf for the top of the side frames.



### Diagonal brace arrangement


The load capacities only apply for six shelf units or more two shelf units or at least every fifth shelf unit has rear panels or every third shelf unit has a diagonal brace. From a unit height of 2200 mm an additional universal shelf is required as an intermediate shelf. In the case of two-storey systems, the lower story in every third unit must be fitted with a diagonal brace or rear panel.

### Anchoring rule


All drawer storage walls must be anchored. 1 anchor is included for each side frame. Exception: double-sided drawer storage walls which are screwed together back-to-back do not need to be anchored.

**Note:** when using only one mounting fixture per side frame, it must be attached to the rear.

**D** = Clear height = number of gaps between slots × 25 mm; slots every 25 mm in the side panels for installing shelves and drawers



### Wall heights and load capacities

H  mm	1000	1450	2000	2200	2500	3000
Clear height <b>D</b> mm	900	1350	1900	2050	2350	2850
<b>Load capacity per shelving section</b>						
min. number of universal shelves	2	2	2	3	3	3
min./max. installed height for the middle universal shelves from floor (mm)	-	-	-	900–1300	1050–1450	1300–1700
load capacity per shelving section	5500 kg	5000 kg	4500 kg	5500 kg	5250 kg	5000 kg



### 3. Fitments

- Selection of adjustable shelves, drawers, pull-out shelves and heavy-duty pull-out shelves as desired
- Optional: dividers for adjustable shelves, slotted
- Optional: partition material see p. 248

### 4. Front-mounting fitments

- Lockable hinged doors over partial and total height
- Sliding doors, roller shutters on request



**!** In order to comply with regulations and for reasons of safety, drawer storage walls must consist of at least the following elements:

- Side frames
- Floor anchoring
- Rear panels OR diagonal braces
- Universal shelves (plain or slotted)

» Individual elements see p. 92–99



## Drawer storage walls | heavy-duty versions

For storing heavy single parts and appliances, LISTA drawer storage walls have drawers and pull-out shelves with a load capacity of up to 200 kg. This gives you maximum flexibility – especially when storing NC tools.

**+** Ideal for large and heavy inventory items up to 200 kg per drawer  
with pull-out shelves for flush storage

**+** Extremely smooth running  
through differential pull-outs without crossbar

**+** Can be adapted to new storage items at any time through the flexible integration and rearrangement of drawers, pull-out shelves and adjustable shelves in increments of 25 mm

**>>** Benefits of LISTA drawer cabinets  
see p. 38/39

**>>** Drawer storage walls for NC storage  
For more information please contact us

### Standard colour combination:



Housing/shelves:  
light grey, RAL 7035  
Fronts:  
light blue, RAL 5012

Additional colours available on request.



Art. no. **70.653.000**  
Housing and shelves:  
light grey, RAL 7035  
Fronts: light blue, RAL 5012



Art. no. **70.657.000**  
Housing and shelves:  
light grey, RAL 7035  
Fronts: light blue, RAL 5012

**54 × 36 E** **W** → **1117 mm** **D** ↗ **706 mm** **H** ↑ **2200 mm**

 918 × 612 mm

Specification



**Basic unit**  
Art. no.

**Add-on unit**  
Art. no.



3 universal shelves,  
2 adjustable shelves,  
2 pull-out shelves (200 kg),  
1 rear panel,  
2 side panels  
(only for basic unit)

—

**70.653.000**

**70.654.000**



3 universal shelves,  
2 adjustable shelves,  
4 drawers (150 /  
200 / 250 / 300 mm)  
1 rear panel,  
2 side panels  
(only for basic unit)

KEY Lock

**70.655.000**

**70.656.000**



3 universal shelves,  
2 adjustable shelves,  
7 drawers (50\* /  
75 / 100 / 125 / 150 /  
2 × 200 mm)  
1 rear panel,  
2 side panels  
(only for basic unit)

KEY Lock

**70.657.000**

**70.658.000**



3 universal shelves,  
2 adjustable shelves,  
2 pull-out shelves (75 kg),  
1 hinged door (H 1000 mm)  
1 rear panel,  
2 side panels  
(only for basic unit)

KEY Lock

**70.651.000**

**70.652.000**



For more universal, adjustable and  
pull-out shelves see p. 94 and 98



For suitable partition material for drawers  
see p. 248

**i** **Drawer load capacity**  
up to 200 kg



### Universal and adjustable shelves

The universal shelves (load capacity 250 kg) are screwed to the side frames. The adjustable shelves (load capacity 200 kg) are attached to the side frames by means of shelf supports and can be adjusted for height. Usable dimensions: W 970 × D 701 mm.




### Pull-out shelves

For the storage of heavy items and assemblies which can be stored flush with the handle by using a sheet metal insert. Fully extendable. Load capacity 75 or 200 kg. Height-adjustable in 25 mm increments.



## Drawer storage walls | side frames, stabilising elements



### Fastening



## Locking profile

### Frame top covering

### Intermediate fill-in strip



## Rear panels

or...

## Diagonal braces



For shelf height mm		<b>1000</b>
---------------------	---	-------------

	Depth mm	Art. no. 
<b>27 E</b>	444	<b>79.189.XXX</b>
<b>36 E</b>	597	<b>79.188.XXX</b>

For shelf height mm	 	<b>1000</b>
---------------------	---	-------------

<b>36 × 36 E</b>	664 × 706	<b>79.125.XXX</b>
<b>45 × 36 E</b>	817 × 706	<b>79.500.XXX</b>
<b>54 × 36 E</b>	970 × 706	<b>79.131.XXX</b>
<b>64 × 36 E</b>	1140 × 706	<b>79.137.XXX</b>
<b>78 × 36 E</b>	1378 × 706	<b>79.143.XXX</b>

Number of parts/part dimensions mm  $1 \times 1000$

For shelf height mm  **1000**

<b>36 × 36 E</b>	664 × 706	<b>13.285.000</b>
<b>45 × 36 E</b>	817 × 706	<b>12.175.000</b>
<b>54 × 36 E</b>	970 × 706	<b>13.394.000</b>
<b>64 × 36 E</b>	1140 × 706	<b>14.355.000</b>
<b>78 × 36 E</b>	1378 × 706	<b>14.356.000</b>

1450	2000	2200	2500	3000
Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
79.107.XXX	79.108.XXX	79.109.XXX	79.110.XXX	79.111.XXX
79.101.XXX	79.102.XXX	79.103.XXX	79.104.XXX	79.105.XXX
Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
79.740.XXX	79.741.XXX	79.742.XXX	79.743.XXX	79.744.XXX
79.740.XXX	79.741.XXX	79.742.XXX	79.743.XXX	79.744.XXX



### Floor anchoring

Drawer storage walls must be anchored (except for drawer storage walls which are screwed together back-to-back). 1 anchor is included for each side frame.

#### Floor anchor

M 10/130

112.991.000

### Levelling plates

To compensate for height. Enable units to be aligned with precision on uneven floors. Specification: PVC. Colour: grey.



#### Levelling plates

Thickness 1 mm 17.140.000

Thickness 2 mm 17.141.000

Thickness 4 mm 17.142.000

Dimensions (W x D mm) 60 x 134

1450	2000	2200	2500	3000
Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
79.126.XXX	79.127.XXX	79.128.XXX	79.129.XXX	79.130.XXX
79.132.XXX	79.133.XXX	79.134.XXX	79.135.XXX	79.136.XXX
79.126.XXX	79.127.XXX	79.128.XXX	79.129.XXX	79.130.XXX
79.501.XXX	79.502.XXX	79.503.XXX	79.504.XXX	79.505.XXX
79.132.XXX	79.133.XXX	79.134.XXX	79.135.XXX	79.136.XXX
79.138.XXX	79.139.XXX	79.140.XXX	79.141.XXX	79.142.XXX
79.144.XXX	79.145.XXX	79.146.XXX	79.147.XXX	79.148.XXX
1 x 1000, 1 x 450	2 x 1000	1 x 1000, 1 x 1200	2 x 1000, 1 x 500	3 x 1000

Rear panels with 10 x 10 mm square holes and 38 mm divisions for holding keyhole hooks available on request.

1450	2000	2200	2500	3000
Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
13.285.000	13.285.000	13.285.000	13.285.000	13.285.000
13.589.000	13.589.000	13.589.000	13.589.000	13.589.000
13.285.000	13.285.000	13.285.000	13.285.000	13.285.000
12.222.000	12.222.000	12.222.000	12.222.000	12.222.000
13.589.000	13.589.000	13.589.000	13.589.000	13.589.000
13.286.000	13.287.000	13.287.000	13.287.000	13.287.000
13.287.000	13.554.000	13.554.000	13.554.000	13.554.000





# Drawer storage walls | panels and shelves



## Side panel covers

Side cover for row of shelving units. For hanging on the side frames by means of shelf supports. Including floor anchor. Specification: steel sheet. Colours: as per colour chart.

## Partitions

For retrofitting by hanging in the side frames. Serves to protect against theft, especially behind sliding doors, hinged doors and roller shutters. Can be used on left and right. Specification: steel sheet. Colours: as per colour chart.

**N.B.** Remember to order a nut holder for fastening the shelf.

## Shelf side panels

Used to cover a side end where an intermediate fill-in strip cannot be used to close an intermediate space. Attached to the side frames. Can also be used with folding fronts. Model: Sheet steel. Colour: Light grey, RAL 7035.

**Delivery: as a pair (left and right version)**

\* Min. clear height mm of compartment equals height + 50 mm.



## Folding fronts

Can only be used with universal shelves. Fold 180 degrees downwards. Equipment: Double safety catch, labelling strip throughout, handle covers and self-adhesive labels. Colours: according to colour chart.



## Universal shelves, plain or slotted

Screwed to the side frames as top and bottom closure and intermediate shelf. Including screw fasteners. Choice of plain or slotted versions. Slots 15 mm apart for subdividing partitions. Specification: steel sheet. Colours: as per colour chart.

## Adjustable shelves, plain or slotted

Are inserted between the side frames using shelf supports, with welded strengthener. Choice of plain or slotted versions. Slots 15 mm apart for subdividing with partitions. Including 4 shelf supports each. Specification: steel sheet. Colours: as per colour chart.

## Partitions

To subdivide the slotted universal and adjustable shelves. Specification: steel sheet. Colour: light grey, RAL 7035.

For shelf height mm	<b>H ↑</b>	<b>1000</b>
<b>D ↗</b>	Depth mm	Art. no.
<b>27 E</b>	553	<b>13.388.XXX</b>
<b>36 E</b>	706	<b>13.252.XXX</b>
Number of parts/crossbars		1
Dimensions (W mm)		23,5

For shelf height mm	<b>H ↑</b>	<b>1000</b>
<b>D ↗</b>	Depth mm	Art. no.
<b>27 E</b>	553	<b>79.176.XXX</b>
<b>36 E</b>	706	<b>79.170.XXX</b>
Number of parts/crossbars		1

Wall height mm	<b>H ↑</b>	<b>150</b>
<b>D ↗</b>	Depth mm	Art. no.
<b>27 E</b>	506	<b>79.014.000</b>
<b>36 E</b>	659	<b>79.011.000</b>






		<b>Depth 27 E</b>
<b>LISTA Units</b>		<b>36 × 27 E</b>
Installed dimensions mm		
<b>W → × D ↗ mm</b>	<b>664 × 553</b>	
<b>H ↑</b>	min. clear opening (mm)	Art. no.
150	125*	<b>79.298.XXX</b>
200	175*	<b>79.299.XXX</b>
250	225*	<b>79.300.XXX</b>
300	275*	<b>79.301.XXX</b>
Usable width (mm)		250

<b>Universal shelf, H 50 mm</b>	
plain	<b>79.191.XXX</b>
Load capacity (kg)	250
slotted	<b>79.197.XXX</b>
Load capacity (kg)	250
Usable dimensions (W × D mm)	664 × 552






<b>Adjustable shelf, H 25 mm</b>	
plain	<b>79.203.XXX</b>
Load capacity (kg)	200
slotted	<b>79.209.XXX</b>
Load capacity (kg)	200
Usable dimensions (W × D mm)	664 × 548

Wall height mm	<b>H ↑</b>	<b>95</b>
<b>D ↗</b>	Depth mm	Art. no.
<b>27 E</b>	525	<b>123.716.000</b>
<b>36 E</b>	678	<b>100.434.000</b>



1450	2000	2200	2500	3000
Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 
<b>13.389.XXX</b>	<b>13.390.XXX</b>	<b>13.391.XXX</b>	<b>13.392.XXX</b>	<b>13.393.XXX</b>
<b>13.253.XXX</b>	<b>13.254.XXX</b>	<b>13.255.XXX</b>	<b>13.256.XXX</b>	<b>13.257.XXX</b>
1	1	1	2	2
23,5	23,5	23,5	23,5	23,5

Side panel covers with 10 × 10 mm square holes and 38 mm divisions for holding keyhole hooks available on request.

1450	2000	2200	2500	3000
Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 
<b>79.177.XXX</b>	<b>79.178.XXX</b>	<b>79.179.XXX</b>	<b>79.180.XXX</b>	<b>79.181.XXX</b>
<b>79.171.XXX</b>	<b>79.172.XXX</b>	<b>79.173.XXX</b>	<b>79.174.XXX</b>	<b>79.175.XXX</b>
1	1	2	2	3

Partitions with 10 × 10 mm square holes and 38 mm divisions for holding keyhole hooks available on request.

200	250
Art. no.	Art. no.
<b>79.015.000</b>	<b>79.016.000</b>
<b>79.012.000</b>	<b>79.013.000</b>









#### Nut holder

For fastening shelves into units where there is no access to the side frames. 2 each per shelf next to partition.  
Specification: steel sheet, bright galvanised.

L 55 mm, 1 piece

**16.997.000**



Depth 36 E					
54 × 27 E	36 × 36 E	45 × 36 E	54 × 36 E	64 × 36 E	78 × 36 E
970 × 553	664 × 706	817 × 706	970 × 706	1140 × 706	1378 × 706
Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 
<b>79.302.XXX</b>	<b>79.298.XXX</b>	<b>79.542.XXX</b>	<b>79.302.XXX</b>	<b>79.306.XXX</b>	<b>79.310.XXX</b>
<b>79.303.XXX</b>	<b>79.299.XXX</b>	<b>79.543.XXX</b>	<b>79.303.XXX</b>	<b>79.307.XXX</b>	<b>79.311.XXX</b>
<b>79.304.XXX</b>	<b>79.300.XXX</b>	<b>79.544.XXX</b>	<b>79.304.XXX</b>	<b>79.308.XXX</b>	<b>79.312.XXX</b>
<b>79.305.XXX</b>	<b>79.301.XXX</b>	<b>79.545.XXX</b>	<b>79.305.XXX</b>	<b>79.309.XXX</b>	<b>79.313.XXX</b>
250	250	250	250	250	250
<b>79.193.XXX</b>	<b>79.190.XXX</b>	<b>79.514.XXX</b>	<b>79.192.XXX</b>	<b>79.194.XXX</b>	<b>79.195.XXX</b>
450	250	250	475	400	350
<b>79.199.XXX</b>	<b>79.196.XXX</b>	<b>79.515.XXX</b>	<b>79.198.XXX</b>	<b>79.200.XXX</b>	<b>79.201.XXX</b>
250	250	250	250	400	350
970 × 552	664 × 705	817 × 705	970 × 705	1140 × 705	1378 × 705
<b>79.205.XXX</b>	<b>79.202.XXX</b>	<b>79.516.XXX</b>	<b>79.204.XXX</b>	<b>79.206.XXX</b>	<b>79.207.XXX</b>
200	200	200	200	200	200
<b>79.211.XXX</b>	<b>79.208.XXX</b>	<b>79.517.XXX</b>	<b>79.210.XXX</b>	<b>79.212.XXX</b>	<b>79.213.XXX</b>
200	200	200	200	200	200
970 × 548	664 × 701	817 × 701	970 × 701	1140 × 701	1378 × 701

145	195
Art. no.	Art. no.
<b>123.717.000</b>	<b>123.718.000</b>
<b>100.435.000</b>	<b>100.436.000</b>



In order to comply with regulations and for reasons of safety, drawer storage walls must consist of at least the following elements





# Drawer storage walls | drawers, locking and fixed shelves



Select load capacity


**i** When ordering a **single safety catch on the right**, please add the suffix **"R"** to the article number in the table (e.g. **72.034.XXX.R**).

## Drawers

Drawers with different front heights can be incorporated into the same shelf unit in any order. The insides of the drawer walls are all fitted with a slotted grid in units (E) of 17 mm so that each drawer can be partitioned as required.

## Ordering information


When selecting the drawers, the clear height of the wall defines the maximum size. The sum of the drawer front heights (C) must be equal to the clear height (B) (see diagram). For filling and loading the drawers and drawer walls please follow the installation manual and observe the loading rules. Load capacity applies to an evenly distributed load.



LISTA Units



**75 kg**  
Load capacity



Depth 27 E

**36 x 27 E**

Drawer usable surface mm

**W** × **D**

**612 x 459 mm**

**H**

mm

**50\***

Usable height

32,5

Shell height

28,5

Art. no.

**72.042.XXX**

**75**

57,5

49

**72.043.XXX**

**100**

82,5

76

**72.045.XXX**

**125**

107,5

76

**72.047.XXX**

**150**

132,5

126

**72.049.XXX**

**200**

182,5

176

**72.051.XXX**

**250**

232,5

226

**72.053.XXX**

**300**

282,5

276

**72.055.XXX**



**200 kg**  
Load capacity

**75**

57,5

49

**72.044.XXX**

**100**

82,5

76

**72.046.XXX**

**125**

107,5

76

**72.048.XXX**

**150**

132,5

126

**72.050.XXX**

**200**

182,5

176

**72.052.XXX**

**250**

232,5

226


**72.054.XXX**

**300**

282,5

276

**72.056.XXX**



## Locking and fixed shelves

Locking and fixed shelves are screwed to the side frames at any position and are ready to accept the installation of **drawer locking systems**. Including screw fasteners. Specification: steel sheet. Colours: as per colour chart.

LISTA Units

Installed dimensions mm

**W** × **D**

Depth 27 E

**36 x 27 E**

**664 x 553 mm**

**Locking shelf**  
prepared for locking system

Art. no.

H 50 mm, load capacity 200 kg

**79.243.XXX**

**Fixed shelf**  
prepared for locking system

H 50 mm, load capacity 50 kg

**79.237.XXX**

## Locks

The central locking system for installation into the locking shelf only locks all drawers beneath it. Choice of configurable KEY Lock or CODE Lock locking systems.

Locking for entire height on request.



**KEY Lock locking system**  
including cylinder with different keys and with locking bar

**H**

mm

Art. no.

**1000**

900

**19.220.000**

**1150**

1050

**19.221.000**

**1325**

1225

**19.222.000**

**1450**

1350

**19.223.000**

**i**

When ordering a lock with **CODE**, **RFID** or **AUTO Lock**, please add the suffix **"C"**, **"F"** or **"A"**, respectively, to the article number stated in the table (e.g. **19.220.000.C**).



Depth 36 E					
54 × 27 E	36 × 36 E	45 × 36 E	54 × 36 E	64 × 36 E	78 × 36 E
918 × 459 mm	612 × 612 mm	765 × 612 mm	918 × 612 mm	1088 × 612 mm	1326 × 612 mm
Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
72.080.XXX	72.057.XXX	72.072.XXX	72.088.XXX	72.805.XXX	72.806.XXX
72.505.XXX	72.058.XXX	72.540.XXX	72.510.XXX	72.515.XXX	72.517.XXX
72.506.XXX	72.060.XXX	72.541.XXX	72.511.XXX	72.516.XXX	72.518.XXX
72.507.XXX	72.062.XXX	72.542.XXX	72.512.XXX	-	-
72.508.XXX	72.064.XXX	72.543.XXX	72.513.XXX	-	-
72.509.XXX	72.066.XXX	72.544.XXX	72.514.XXX	-	-
-	72.068.XXX	-	-	-	-
-	72.070.XXX	-	-	-	-

\* Drawers with a front height of 50 mm must be placed in the top position

72.081.XXX	72.059.XXX	72.073.XXX	72.089.XXX	72.096.XXX	72.103.XXX
72.082.XXX	72.061.XXX	72.074.XXX	72.090.XXX	72.097.XXX	72.104.XXX
72.083.XXX	72.063.XXX	72.075.XXX	72.091.XXX	72.098.XXX	72.105.XXX
72.084.XXX	72.065.XXX	72.076.XXX	72.092.XXX	72.099.XXX	72.106.XXX
72.085.XXX	72.067.XXX	72.077.XXX	72.093.XXX	72.100.XXX	72.107.XXX
72.086.XXX	72.069.XXX	72.078.XXX	72.094.XXX	72.101.XXX	72.108.XXX
72.087.XXX	72.071.XXX	72.079.XXX	72.095.XXX	72.102.XXX	72.109.XXX

Depth 36 E					
54 × 27 E	36 × 36 E	45 × 36 E	54 × 36 E	64 × 36 E	78 × 36 E
970 × 553 mm	664 × 706 mm	817 × 706 mm	970 × 706 mm	1140 × 706 mm	1378 × 706 mm
Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
79.245.XXX	79.242.XXX	79.550.XXX	79.244.XXX	79.246.XXX	79.247.XXX
79.239.XXX	79.236.XXX	79.549.XXX	79.238.XXX	79.240.XXX	79.241.XXX

Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
19.220.000	19.200.000	19.200.000	19.200.000	19.200.000	19.200.000
19.221.000	19.201.000	19.201.000	19.201.000	19.201.000	19.201.000
19.222.000	19.202.000	19.202.000	19.202.000	19.202.000	19.202.000
19.223.000	19.203.000	19.203.000	19.203.000	19.203.000	19.203.000



#### KEY Lock

The standard locking system with replaceable cylinders makes it easy to adapt to existing locking systems. The locking system secures all drawers simultaneously.



#### CODE Lock

Here the key is replaced by a simple numeric combination. A simple four to six-digit numeric combination is sufficient to open the drawer.



#### RFID Lock

The LISTA RFID Lock enables automatic and contactless locking through radio frequency identification. After a positive RFID read a rotary handle must be turned by hand to unlock.



#### AUTO Lock

Like LISTA RFID Lock, opens and locks the cabinet automatically without manual operation. Access and locked time management with LISTA Access software via USB.





# Drawer storage walls | drawers, pull-out shelves and doors



## Pull-out shelves

For storing heavy individual items and equipment. Variable fitting heights of 25 × 25 mm in the side panels. The inserts enable stored items to be stored and removed flush with the handle. Specification: steel sheet. Colours: as per colour chart. Bottom inserts are made of galvanised steel.



## Heavy-duty pull-outs

Heavy-duty pull-outs are mainly used in machine tool production for storage of assemblies and tools. Even with a heavy load, the heavy-duty pull-out is easy to use. With a welded construction and pull-out frames running on multiple ball-bearings. The runners can be built directly into the side panels of the drawer walls of sizes 54 × 36 E without any adjustments. Specification: Shaped steel sheet. Colour: Grey, NCS S 4502-R.



## Inserts and supports for heavy-duty pull-out shelves

**Multiplex top:** Can be inserted without screwing into the heavy-duty pull-out shelves. Made of steamed beech veneers, glued in multiple waterproof layers, rounded corners. Sanded, oiled and waxed surface. The top is splash-proof, dirt-repellent and largely proof against oil and grease.

**Slat inserts:** can be inserted without screwing into the heavy-duty pull-out shelves. Specification: Sendzimir galvanised shaped sheet steel.

**Ribbed mats:** provide protection. To be placed on top of the wooden inserts or on the metal slat insert panels. Specification: includes self-adhesive strips. Colour: Black.



## Hinged doors made of full sheet steel or equipped with viewing windows

With two panels and a two-point rod lock with a recess for a clasp lock. The hinged doors can be retrofitted to all shelf units. Specification: sheet steel or sheet steel with viewing windows. Colours: as per colour chart.



For the version with **hinged doors**, the **clasp lock** shown below must be ordered separately.

## Clasp locks

The standard KEY Lock locking system with replaceable cylinders makes it easy to adapt to existing locking systems. With CODE Lock, the key is replaced by a simple numeric combination. The LISTA RFID Lock enables automatic and contactless locking through radio frequency identification. After a positive RFID read the handle is operated by hand.



Depth 27 E

**36 × 27 E**

LISTA Units

Drawer usable surface mm

**W** × **D**

**612 × 459 mm**

## Pull-out shelves

Load capacity kg	min. installation height mm	Art. no.
<b>75</b>	75	<b>79.219.XXX</b>
<b>200</b>	75	<b>79.223.XXX</b>

## Heavy-duty pull-outs, H 155 mm

Load capacity kg	min. installation height mm	Art. no.
<b>350</b>	215	-
Usable dimensions (W × D mm)		

## Multiplex top, H 50 mm

Usable dimensions (W × D mm)

## Slat inserts, H 54,5 mm

Number of slats

Usable dimensions (W × D mm)

## Ribbed mats, H 3 mm

Usable dimensions (W × D mm)

**36 × 27 E**

For shelf height mm For fitting Art. no.

## Hinged doors made of full sheet steel, 2 doors without clasp lock, with different keys













<b>1000</b>	bottom	<b>79.248.XXX</b>
<b>1000</b>	top	<b>79.521.XXX</b>
<b>2000</b>	bottom	<b>79.249.XXX</b>
<b>2200</b>	bottom	<b>79.250.XXX</b>
<b>2500</b>	bottom	<b>79.251.XXX</b>

## Hinged doors with viewing windows, 2 doors without clasp lock, with different keys

<b>1000</b>	bottom	<b>79.630.XXX</b>
<b>1000</b>	top	<b>79.631.XXX</b>
<b>2000</b>	bottom	<b>79.632.XXX</b>
<b>2200</b>	bottom	<b>79.633.XXX</b>
<b>2500</b>	bottom	<b>79.634.XXX</b>

## + clasp lock with different keys

with <b>KEY Lock</b>	<b>49.060.000</b>
with <b>CODE Lock</b>	<b>49.085.000</b>
with <b>RFID Lock</b>	<b>49.086.000</b>

Depth 36 E					
54 × 27 E	36 × 36 E	45 × 36 E	54 × 36 E	64 × 36 E	78 × 36 E
918 × 459 mm	612 × 612 mm	765 × 612 mm	918 × 612 mm	1088 × 612 mm	1326 × 612 mm
Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 
79.221.XXX	79.218.XXX	79.519.XXX	79.220.XXX	-	-
79.225.XXX	79.222.XXX	79.520.XXX	79.224.XXX	79.226.XXX	79.227.XXX
-	79.228.000	79.617.000	79.229.000	79.618.000	79.619.000
-	588 × 614	741 × 614	894 × 614	1064 × 614	1302 × 614
-	12.514.000	12.640.000	12.515.000	12.641.000	12.642.000
-	588 × 614	741 × 614	894 × 614	1064 × 614	1302 × 614
-	12.519.000	12.643.000	12.520.000	12.644.000	12.645.000
-	4	4	4	4	4
-	588 × 614	741 × 614	894 × 614	1064 × 614	1302 × 614
-	12.516.000	12.646.000	12.517.000	12.647.000	12.648.000
-	588 × 614	741 × 614	894 × 614	1064 × 614	1302 × 614
54 × 27 E	36 × 36 E	45 × 36 E	54 × 36 E	64 × 36 E	78 × 36 E
Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 
79.252.XXX	79.248.XXX	79.522.XXX	79.252.XXX	79.528.XXX	79.533.XXX
79.527.XXX	79.521.XXX	79.523.XXX	79.527.XXX	79.529.XXX	79.534.XXX
79.253.XXX	79.249.XXX	79.524.XXX	79.253.XXX	79.530.XXX	79.535.XXX
79.254.XXX	79.250.XXX	79.525.XXX	79.254.XXX	79.531.XXX	79.536.XXX
79.255.XXX	79.251.XXX	79.526.XXX	79.255.XXX	79.532.XXX	79.537.XXX
79.640.XXX	79.630.XXX	79.635.XXX	79.640.XXX	79.645.XXX	79.650.XXX
79.641.XXX	79.631.XXX	79.636.XXX	79.641.XXX	79.646.XXX	79.651.XXX
79.642.XXX	79.632.XXX	79.637.XXX	79.642.XXX	79.647.XXX	79.652.XXX
79.643.XXX	79.633.XXX	79.638.XXX	79.643.XXX	79.648.XXX	79.653.XXX
79.644.XXX	79.634.XXX	79.639.XXX	79.644.XXX	79.649.XXX	79.654.XXX
49.060.000	49.060.000	49.060.000	49.060.000	49.060.000	49.060.000
49.085.000	49.085.000	49.085.000	49.085.000	49.085.000	49.085.000
49.086.000	49.086.000	49.086.000	49.086.000	49.086.000	49.086.000



## Vi kan skreddersy innredningen til ditt behov.

Vi står disponible til å bistå i deres prosjekter.

\*3D tegninger.

\*Oppmålinger.

\*Kartlegging av behov.

\*Montasje.

Ta gjerne kontakt med oss om du har et behov som ikke finnes i katalogen.



Lista ble grunnlagt i 1945

Hovedkontoret ligger i Sveits.



Produksjonen foregår i Sveits og Tyskland.



### Kontaktinfo:

Ing Yngve Ege AS

Postadresse:  
Postboks 1 Sentrum  
0101 Oslo

Besøksadresse:  
Ryenstubben 5  
0679 Oslo

Tel: 23 24 10 00  
Fax: 23 24 10 01

[ege@ege.no](mailto:ege@ege.no)

Produktansvarlig.

Navn:

Telefon:

Epost: