

Digital Absolute Indicator 430-DABS Series

Features

- Absolute Measuring System
- USB Data Output
- Functions: tolerances, mm/inch conversion, preset capability, data-output, zero-setting, on/off
- 8mm/H7 clamping diameter
- IP54 protection
- CR2032 battery
- Supplied with lugback and flat back



SPECIFICATIONS

Code No	Range (mm)	Range (inch)	Resolution (mm)	Resolution (inch)	Accuracy (mm)	Accuracy (inch)
MW430-01DABS	0-12.5	0-0.5	0.001	0.00005	±0.004	±0.0002
MW430-02DABS	0-25.4	0-1.0	0.001	0.00005	±0.005	±0.00025
MW430-03DABS	0-50.8	0-2.0	0.001	0.00005	±0.006	±0.0003

DATA CABLE

Code No	Description
MW-Y100/700USB	Data Cable-USB to suit all DABS products

Pocket & Lifting Thickness Gauges 455 Series

Features

- For quick measurement of thickness
- Dial indicator for accurate value reading
- Parallelism of the measuring surfaces 0.004mm



MW455-15 Pocket Thickness Gauge



MW455-25

POCKET & LIFTING

Code No	Range (mm)	Note	Resolution (mm)
MW455-15	0-10	Throat Depth - 0-10mm	0.01
MW455-25	0-10	Throat Depth - 0-30mm	0.01
MW455-35	0-10	Throat Depth - 0-120mm	0.01

Lifting Type Digital Thickness Gauge 455 Series

Features

- For quick measurement of thickness
- Modern design
- Functions: mm/inch conversion, on/off, zero-setting, battery low indication
- Parallelism of the measuring surfaces <math><0.004\text{mm}</math>



SPECIFICATIONS

Code No	Range (mm)	Accuracy (mm)	Resolution (mm)	Note
MW455-15D	0-10	0.04	0.01	Throat Depth - 0-30mm
MW455-25D	0-10	0.04	0.01	Throat Depth - 0-120mm

Magnetic Indicator Stand 470 Series

Features

- Basic type, without fine adjustment, can be used with indicators with or without lug back
- With powerful on/off magnetic base
- Magnetic force 80Kg / 175 LBS
- Accepts dial test indicators, digital indicators and normal indicators
- Extra rigid



SPECIFICATIONS

Code No	Description
MW470-01	Without fine adjustment

Magnetic Indicator Stand 475 Series

Features

- Basic type, with fine adjustment, can be used with indicators with or without lug back
- With powerful on / off magnetic base
- Magnetic force 80Kg / 175lbs
- Accepts dial test indicators, digital indicators and normal indicators
- Extra rigid



SPECIFICATIONS

Code No	Description
MW475-01	With fine adjustment

Flexible Magnetic Base 496 Series

Features

- Corrosion resistant chrome plated flex arm
- Magnetic force 40kg / 85lbs
- Holds rigidly in almost any position
- V -base for mounting on rounded surfaces



SPECIFICATIONS

Code No	Description
MW496-01	Mechanically locking flexible arm

Hydraulic Magnetic Base 485 Series

Features

- Features a unique hydraulic central lock for all arms and swivel positions
- Super solid model
- With fine adjustment
- With powerful on/off magnetic base
- Magnetic force 80Kg / 175lbs
- Universal model which can be used for indicators with or without lug on back plate
- Accepts dial test indicators, digital indicators and normal indicators
- Dovetail groove for clamping a dial test indicator
- Super rigid



SPECIFICATIONS

Code No	Description
MW485-01	Universal arm with single hydraulic locking knob